



US009224137B1

(12) **United States Patent**
Tomasi et al.

(10) **Patent No.:** **US 9,224,137 B1**
(45) **Date of Patent:** **Dec. 29, 2015**

(54) **SYSTEM FOR AN AUTOMATED DISPENSING AND RETRIEVAL KIOSK FOR RECORDED MEDIA**

(75) Inventors: **Philip Tomasi**, Newbury Park, CA (US);
Alva D. Cravens, Los Gatos, CA (US);
Jens Horstmann, Santa Clara, CA (US);
William Barber, Newbury Park, CA (US); **John Chen**, Cupertino, CA (US)

4,789,045 A	12/1988	Pugh
4,812,629 A	3/1989	O'Neil et al.
4,814,592 A	3/1989	Bradt et al.
4,839,505 A	6/1989	Bradt et al.
4,839,875 A	6/1989	Kuriyama et al.
4,858,743 A	8/1989	Paraskevakes et al.
4,866,661 A	9/1989	de Prins
4,872,154 A	10/1989	Sakagami et al.
4,893,705 A	1/1990	Brown

(Continued)

(73) Assignee: **Redbox Automated Retail, LLC**,
Bellevue, WA (US)

FOREIGN PATENT DOCUMENTS

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 376 days.

JO	07182659	7/1995
JP	11-53638	2/1999

OTHER PUBLICATIONS

Phillips, Blockbuster form DVD video rental alliance in the U.S., AFX Europe, Sep. 9, 1998, 1 page.

(Continued)

(21) Appl. No.: **11/366,966**

(22) Filed: **Mar. 1, 2006**

Related U.S. Application Data

(60) Provisional application No. 60/657,844, filed on Mar. 1, 2005.

(51) **Int. Cl.**
G06K 7/08 (2006.01)
G06K 15/00 (2006.01)
G06Q 20/18 (2012.01)
G03G 15/00 (2006.01)

(52) **U.S. Cl.**
CPC **G06Q 20/18** (2013.01); **G03G 15/55** (2013.01)

(58) **Field of Classification Search**
USPC 235/381, 383, 379
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,598,810 A	7/1986	Shore et al.
4,608,679 A	8/1986	Rudy et al.


Primary Examiner — Tuyen K Vo

(74) Attorney, Agent, or Firm — Perkins Coie LLP

(57) **ABSTRACT**

A system for an automated dispensing and retrieval kiosk for recorded media includes a kiosk having a plurality of vertical racks arranged in a circular formation, each vertical rack configured for storing a plurality of recorded media. A customer interface allows a customer to select or return a recorded media. A robotic element delivers the selected recorded media from the vertical racks to a media output, at the customer interface. The element also delivers a returned recorded media from a media input at the customer interface to the vertical racks. A computer controls operation of the kiosk, and an internet interface connects the kiosk to the Internet. The kiosk may communicate with a central server and/or other kiosks of a group, to locate a requested recorded media within a kiosk of the group. Once located within the group, the requested media may be reserved for customer pick-up.

18 Claims, 13 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

4,896,024 A 1/1990 Morello et al.
 4,903,815 A 2/1990 Hirschfeld et al.
 4,915,205 A 4/1990 Reid et al.
 4,967,403 A 10/1990 Ogawa et al.
 4,995,498 A 2/1991 Menke
 5,013,897 A 5/1991 Harman et al.
 5,028,766 A 7/1991 Shah
 5,088,586 A 2/1992 Isobe et al.
 5,095,195 A 3/1992 Harman et al.
 5,107,667 A 4/1992 Tone et al.
 5,133,441 A 7/1992 Brown
 5,159,560 A 10/1992 Newell et al.
 5,273,183 A 12/1993 Tuttobene
 5,319,705 A 6/1994 Halter et al.
 5,418,713 A 5/1995 Allen
 5,445,295 A 8/1995 Brown
 5,459,306 A 10/1995 Stein et al.
 5,576,951 A 11/1996 Lockwood
 5,633,839 A 5/1997 Alexander et al.
 5,644,727 A 7/1997 Atkins
 5,647,505 A 7/1997 Scott
 5,699,262 A 12/1997 Lang et al.
 5,715,403 A 2/1998 Stefik
 5,724,521 A 3/1998 Dedrick
 5,739,512 A 4/1998 Tognazzini
 5,748,485 A 5/1998 Christiansen et al.
 5,761,071 A 6/1998 Bernstein et al.
 5,769,269 A 6/1998 Peters
 5,822,216 A 10/1998 Satchell, Jr. et al.
 5,822,291 A 10/1998 Brindze et al.
 5,844,808 A * 12/1998 Konsmo et al. 700/244
 5,848,593 A 12/1998 McGrady et al.
 5,850,442 A 12/1998 Muftic
 5,860,362 A 1/1999 Smith
 5,875,110 A 2/1999 Jacobs
 5,900,608 A 5/1999 Iida
 5,934,439 A 8/1999 Kanoh et al.
 5,938,510 A 8/1999 Takahashi et al.
 5,943,423 A 8/1999 Muftic
 5,950,173 A 9/1999 Perkowski
 5,971,273 A 10/1999 Vallaire
 6,032,130 A 2/2000 Alloul et al.
 6,072,766 A 6/2000 Konshak
 6,109,524 A 8/2000 Kanoh et al.
 6,119,932 A 9/2000 Maloney et al.
 6,169,483 B1 1/2001 Ghaffari et al.
 6,182,857 B1 2/2001 Hamm et al.
 6,201,474 B1 3/2001 Brady
 6,209,787 B1 4/2001 Iida
 6,264,104 B1 7/2001 Jenkins et al.
 6,286,139 B1 9/2001 Decinque
 6,289,322 B1 9/2001 Kitchen et al.
 6,321,984 B1 11/2001 McCall
 6,327,230 B1 12/2001 Miller et al.
 6,330,491 B1 12/2001 Lion
 6,336,098 B1 1/2002 Fortenberry et al.
 6,366,914 B1 4/2002 Stern
 6,424,706 B1 7/2002 Katz et al.
 6,434,326 B1 8/2002 Kondo et al.
 6,493,110 B1 12/2002 Roberts
 6,513,015 B2 1/2003 Ogasawara
 6,539,417 B2 3/2003 Stern
 6,554,184 B1 4/2003 Amos
 6,584,450 B1 6/2003 Hastings et al.
 6,688,523 B1 2/2004 Koenck
 6,748,539 B1 6/2004 Lotspiech
 6,758,370 B2 7/2004 Cooke
 6,954,732 B1 10/2005 DeLapa et al.
 6,965,869 B1 11/2005 Tomita et al.
 7,058,581 B1 6/2006 Young
 7,234,609 B2 * 6/2007 DeLazzer et al. 221/10
 2001/0011252 A1 8/2001 Kasahara
 2001/0037207 A1 11/2001 Dejaeger
 2002/0046122 A1 * 4/2002 Barber et al. 705/17
 2002/0087859 A1 * 7/2002 Weeks et al. 713/156

2002/0095680 A1 7/2002 Davidson
 2003/0061271 A1 * 3/2003 Pittarelli 709/203
 2003/0074106 A1 * 4/2003 Butler 700/236
 2004/0064371 A1 4/2004 Crapo
 2004/0112070 A1 * 6/2004 Schanin 62/132
 2004/0164146 A1 * 8/2004 Rosenblum 235/381
 2005/0086127 A1 4/2005 Hastings et al.
 2005/0267819 A1 12/2005 Kaplan
 2009/0005905 A1 * 1/2009 Kuehnrich et al. 700/241

OTHER PUBLICATIONS

Ingram Relaunches DVD Rental Kiosk Program, Updates Software Package, Video Store, vol. 20, No. 5, p. 8, Feb. 1, 1998.
 Beauprez, Jennifer; Maker of Automated DVD-Sales Kiosks Targets College Students; Denver Post; Dec. 6, 1999.
 131 Affidavit & Exhibits in U.S. Appl. No. 09/578,631, filed Aug. 27, 2007, 163 pages.
 131 Affidavit & Exhibits in U.S. Appl. No. 09/578,631, filed Apr. 16, 2004, 68 pages.
 Office Action dated Nov. 19, 2007, U.S. Appl. No. 09/578,631, 30 pages.
 Appeal Brief filed Apr. 18, 2008, U.S. Appl. No. 09/578,631, 216 pages.
 Supplemental Appeal Brief filed May 22, 2008, U.S. Appl. No. 09/578,631, 5 pages.
 Notice of Allowance issued Aug. 8, 2008, U.S. Appl. No. 09/578,631, 14 pages.
 Comments on Statement of Reasons for Allowance filed Aug. 14, 2008, U.S. Appl. No. 09/578,631, 2 pages.
 Office Action dated May 8, 2002, U.S. Appl. No. 09/578,631, 12 pages.
 Response to Office Action dated May 8, 2002, U.S. Appl. No. 09/578,631, filed Nov. 6, 2002, 8 pages.
 Office Action dated Dec. 19, 2002, U.S. Appl. No. 09/578,631, 16 pages.
 Response to Office Action dated Dec. 19, 2002, U.S. Appl. No. 09/578,631, filed Jun. 19, 2003, 32 pages.
 Office Action dated Aug. 6, 2003, U.S. Appl. No. 09/578,631, 10 pages.
 Response to Office Action dated Aug. 6, 2003, U.S. Appl. No. 09/578,631, filed Nov. 6, 2003, 12 pages.
 Office Action dated Jan. 2, 2004, U.S. Appl. No. 09/578,631, 12 pages.
 Response to Office Action dated Jan. 2, 2004, U.S. Appl. No. 09/578,631, filed Apr. 16, 2004, 9 pages.
 Office Action dated Jul. 22, 2004, U.S. Appl. No. 09/578,631, 10 pages.
 Response to Office Action dated Jul. 22, 2004, U.S. Appl. No. 09/578,631, filed Jan. 4, 2005, 72 pages.
 Office Action dated Mar. 30, 2005, U.S. Appl. No. 09/578,631, 9 pages.
 Appeal Brief U.S. Appl. No. 09/578,631, filed Sep. 26, 2005, 45 pages.
 Office Action dated Mar. 9, 2006, U.S. Appl. No. 09/578,631, 18 pages.
 Response to Office Action dated Mar. 9, 2006, U.S. Appl. No. 09/578,631, filed Aug. 9, 2006, 38 pages.
 Office Action dated Feb. 26, 2007, U.S. Appl. No. 09/578,631, 27 pages.
 Response to Office Action dated Feb. 26, 2007, U.S. Appl. No. 09/578,631, filed Aug. 27, 2007, 26 pages.
 Office Action dated Apr. 1, 2009, U.S. Appl. No. 09/903,444, 59 pages.
 Appeal Brief, U.S. Appl. No. 09/903,444, filed Dec. 18, 2008, 50 pages.
 Office Action dated Sep. 18, 2008, U.S. Appl. No. 09/903,444, 31 pages.
 Appeal Brief, U.S. Appl. No. 09/903,444, filed Jun. 9, 2008, 271 pages.
 Notice of Appeal, U.S. Appl. No. 09/903,444, filed Apr. 8, 2008, 1 page.
 Office Action dated Jan. 8, 2008, U.S. Appl. No. 09/903,444, 36 pages.

(56)


References Cited


OTHER PUBLICATIONS

Response to Office Action dated May 3, 2007, U.S. Appl. No. 09/903,444, filed Oct. 31, 2007, 25 pages.
 Declaration of Jens Horstmann Under 37 CFR 1.132 with Exhibits, filed in U.S. Appl. No. 09/903,444, Oct. 31, 2007, 198 pages.
 Office Action dated May 3, 2007, U.S. Appl. No. 09/903,444, 38 pages.
 Response to Office Action dated Feb. 9, 2007, U.S. Appl. No. 09/903,444, filed Mar. 16, 2007, 20 pages.
 Office Action dated Feb. 9, 2007, U.S. Appl. No. 09/903,444, 36 pages.
 Response to Office Action dated Sep. 27, 2006, U.S. Appl. No. 09/903,444, filed Nov. 10, 2006, 27 pages.
 Office Action dated Sep. 27, 2006, U.S. Appl. No. 09/903,444, 28 pages.
 Request for Continued Examination, U.S. Appl. No. 09/903,444, filed Jul. 20, 2006, 2 pages.
 Advisory Action dated Jul. 17, 2006, U.S. Appl. No. 09/903,444, 4 pages.
 Response to Office Action dated May 2, 2006, U.S. Appl. No. 09/903,444, filed Jun. 30, 2006, 27 pages.
 Office Action dated May 2, 2006, U.S. Appl. No. 09/903,444, 12 pages.
 Amendment and Response with Statement of Substance of Telephone Interview, U.S. Appl. No. 09/903,444, filed Feb. 15, 2006, 22 pages.
 Response to Office Action dated Dec. 29, 2005, U.S. Appl. No. 09/903,444, filed Feb. 7, 2006, 14 pages.
 Office Action dated Dec. 29, 2005, U.S. Appl. No. 09/903,444, 12 pages.

Response to Restriction Requirement dated Sep. 23, 2005, U.S. Appl. No. 09/903,444, filed Oct. 4, 2005, 9 pages.
 Restriction Requirement dated Sep. 23, 2005, U.S. Appl. No. 09/903,444, 6 pages.
 Response to Office Action dated Apr. 26, 2005, U.S. Appl. No. 09/903,444, filed Jun. 24, 2005, 28 pages.
 Office Action dated Apr. 26, 2005, U.S. Appl. No. 09/903,444, 7 pages.
 Response to Office Action dated Oct. 6, 2004, U.S. Appl. No. 09/903,444, filed Jan. 21, 2005, 14 pages.
 Office Action dated Oct. 6, 2004, U.S. Appl. No. 09/903,444, 7 pages.
 PCT/US2000/014398, International Search Report mailed Sep. 6, 2000, 2 pages.
 Office Action dated Oct. 1, 2008, U.S. Appl. No. 11/584,981, 12 pages.
 Office Action dated Sep. 30, 2008, U.S. Appl. No. 11/584,865, 13 pages.
 Response to Office Action, U.S. Appl. No. 11/584,865, filed Feb. 2, 2009, 14 pages.
 Response to Office Action, U.S. Appl. No. 11/584,981, filed Feb. 2, 2009, 11 pages.
 Office Action dated May 27, 2009, U.S. Appl. No. 11/584,981, 13 pages.
 Office Action dated May 26, 2009, U.S. Appl. No. 11/584,865, 17 pages.
 Civil Action No. 1:08 cv 803, *DVDPlay, Inc. v. Redbox Automated Retail LLC*, Complaint (and Exh. A) filed Oct. 28, 2008, 52 pages.
 Civil Action No. 1:08 cv 802, *DVDPlay, Inc. v. Coinstar E-Payment Services Inc. et al.*, Complaint (and Exh. A) filed Oct. 28, 2008, 53 pages.
 Civil Action No. 1:08 cv 6183, *Redbox Automated Retail v. DVDPlay, Inc.*, Complaint filed Oct. 28, 2008, 4 pages.

* cited by examiner








FIG. 4




FIG. 3




FIG. 5A

FIG. 5B

FIG. 5C




FIG. 6C




FIG. 6B




FIG. 6A






FIG. 7A

FIG. 7B






FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14

SYSTEM FOR AN AUTOMATED DISPENSING AND RETRIEVAL KIOSK FOR RECORDED MEDIA

CROSS-REFERENCE TO RELATED APPLICATIONS

This application claims benefit of priority to and is a continuation-in-part with respect to U.S. Provisional Patent Application No. 60/657,844, which was filed Mar. 1, 2005 and is incorporated herein by reference to the same extent as though fully replicated herein.

REFERENCE TO SEQUENCE LISTING

This specification is accompanied by sequence listings provided in the attached Appendices A-N, each of which are incorporated by reference as though fully replicated herein, and in the CD-ROM submitted herewith, in duplicate. The material submitted on CD-ROM also includes source code, submitted as Appendix N and also incorporated by reference as though fully replicated herein. Appendix N includes the following electronic files:

TABLE A

FILENAME	DATE	SIZE
app30_migration.sql	Oct. 2, 2003	1053
delta_prod_data_migration.sql	Oct. 10, 2003	66319
identity_reset.txt	Oct. 7, 2003	2022
prod_data_migration.sql	Oct. 10, 2003	76378
steps_data_migration.txt	Sep. 29, 2003	501
v1.6newtables.sh	Jan. 9, 2004	1310
v1.6proc.sh	Feb. 27, 2004	2871
v1.6table.sql	Jan. 26, 2004	41721
v1.6trigger.sh	Jan. 9, 2004	1381
v1.6view.sh	Jan. 9, 2004	2353
ffadddelinquent.sql	Jun. 18, 2003	915
ffaddfranchisetitletypecap.sql	Sep. 5, 2003	798
ffbjpopulatekioskdailysummary.sql	Oct. 30, 2003	1333
ffbjpopulateusablepromobydate.sql	Nov. 23, 2003	1538
ffcheckconfirmrequest.sql	Nov. 25, 2003	1358
ffcheckfailuretransaction.sql	Jul. 31, 2003	699
ffcheckinvaioptionid.sql	Jul. 31, 2003	440
ffchecklastheartbeat.sql	Feb. 26, 2004	942
ffconfirmstatus.sql	Oct. 8, 2003	1082
ffcopyfranchise.sql	Dec. 4, 2003	14675
ffcopykiosk.sql	Dec. 4, 2003	14460
ffcopykioskgroup.sql	Dec. 4, 2003	5137
ffcopykioskinventory.sql	Dec. 4, 2003	6687
ffdeleteadmindisc.sql	Oct. 8, 2003	1051
ffdeletedelinquent.sql	Oct. 30, 2003	584
ffdeletefranchise.sql	Sep. 5, 2003	2079
ffdeletekiosk.sql	Oct. 8, 2003	5018
ffdeletekioskgroup.sql	Oct. 8, 2003	1588
ffdeletepaymentcard.sql	Oct. 8, 2003	901
ffdeletepricemodel.sql	Oct. 8, 2003	1611
ffdeletepriceoption.sql	Oct. 8, 2003	1631
ffdeletepromo.sql	Nov. 16, 2003	865
ffdeletepromouse.sql	Nov. 16, 2003	870
ffdeletespecialpricing.sql	Oct. 8, 2003	1168
ffdeletetitle.sql	Oct. 8, 2003	2044
ffgetalteremail.sql	Feb. 26, 2004	511
ffgetdelinquentlines.sql	Nov. 16, 2003	290
ffgetdenormtransactions.sql	Nov. 29, 2003	3704
ffgetdisc.sql	Nov. 16, 2003	6987
ffgetdiscallbyid.sql	Sep. 23, 2003	2274
ffgetdiscbyid.sql	Nov. 16, 2003	2262
ffgetfranchise.sql	Jul. 30, 2003	746
ffgetfranchiseconfigurable.sql	Jan. 5, 2004	5711
ffgetfranchiselistsql	Aug. 28, 2003	1014
ffgetfranchisetitletypecap.sql	Jul. 24, 2003	766
ffgetfranchisettranslation.sql	Feb. 26, 2004	2476
ffgetkioskaction.sql	Jul. 23, 2003	401
ffgetkioskactionseqnum.sql	Jul. 23, 2003	532

TABLE A-continued

FILENAME	DATE	SIZE
ffgetkioskbasicstranlation.sql	Jul. 23, 2003	1896
ffgetkioskinventory.sql	Jan. 9, 2004	4799
ffgetkioskstatusdefinition.sql	Jul. 31, 2003	512
ffgetkiosktxrate.sql	Jul. 23, 2003	480
ffgetkiosktimezone.sql	Nov. 6, 2003	631
ffgetkiosktimezonebykioskid.sql	Nov. 6, 2003	542
ffgetkioskzoneid.sql	Oct. 8, 2003	1126
ffgetkiosktitle.sql	Jul. 16, 2003	1774
ffgetlineitem.sql	Nov. 16, 2003	3076
ffgetlineitembasic.sql	Nov. 16, 2003	2516
ffgetlocale.sql	Nov. 16, 2003	1236
ffgetoverduelines.sql	Nov. 16, 2003	306
ffgetpayment.sql	Nov. 16, 2003	2761
ffgetpaymentcard.sql	Nov. 16, 2003	2812
ffgetpaymentcardbynumber.sql	Nov. 16, 2003	2816
ffgetpaymentcardid.sql	Nov. 16, 2003	1346
ffgetpaymentprocessor.sql	Nov. 16, 2003	1186
ffgetplaylist.sql	Jan. 22, 2004	2446
ffgetprocessorid.sql	Jul. 21, 2003	439
ffgetprocvendor.sql	Jul. 21, 2003	433
ffgetpromocode.sql	Feb. 26, 2004	3410
ffgetpromoid.sql	Jun. 19, 2003	779
ffgetreceiptbasic.sql	Jun. 18, 2003	1101
ffgetserverconfig.sql	Jun. 18, 2003	379
ffgettitle.sql	Jul. 21, 2003	2242
ffgettitlelist.sql	Jan. 20, 2004	8645
ffgettransaction.sql	Jul. 21, 2003	2941
ffgettransactionactioncount.sql	Aug. 6, 2003	959
ffgettransactionbasic.sql	Nov. 16, 2003	1392
ffgettransactionlinecount.sql	Jun. 20, 2003	595
ffgettransactionpromoid.sql	Sep. 25, 2003	695
ffgettransactiontotals.sql	Sep. 29, 2003	2478
ffgettransactiontypeid.sql	Nov. 16, 2003	863
ffgetunknownbasic.sql	Aug. 26, 2003	596
ffisdiscexist.sql	Nov. 16, 2003	516
ffsinnochargeperiod.sql	Jun. 11, 2003	1301
ffslineitemexist.sql	Jun. 11, 2003	485
ffspaymentcardexist.sql	Jun. 19, 2003	754
ffspaymentexist.sql	Jun. 19, 2003	479
ffstransactionexist.sql	Jun. 11, 2003	505
ffpadddefaultfranchisetitletypecap.sql	Oct. 8, 2003	1929
ffpadddisc.sql	Oct. 14, 2003	1945
ffpaddfranchisettranslation.sql	Oct. 3, 2003	1750
ffpaddkioskbasicstranlation.sql	Oct. 3, 2003	1680
ffpaddpropertygroupandmember.sql	Jan. 7, 2004	3514
ffpdeletedisc.sql	Oct. 3, 2003	1621
ffpdeletediscbykioskandslot.sql	Aug. 21, 2003	1639
ffpdeletepropertygroupandmember.sql	Jan. 7, 2004	4471
ffpgetdefaultlastupdatedby.sql	Jun. 11, 2003	441
ffpgetpricemodeldependency.sql	Sep. 4, 2003	1073
ffpgetpriceoptiondependency.sql	Sep. 5, 2003	1170
ffpopulatelegacytitle.sql	Feb. 26, 2004	3080
ffpopulatetitle.sql	Feb. 26, 2004	3635
ffpsavefranchiseconfigurable.sql	Jan. 5, 2004	6384
ffpsavepromo.sql	Feb. 26, 2004	2912
ffpupdatetitle.sql	Aug. 19, 2003	2089
ffpupdatefranchisettranslation.sql	Sep. 11, 2003	1944
ffpupdatekioskbasicstranlation.sql	Sep. 4, 2003	1777
ffptkioskactivity.sql	Nov. 26, 2003	5802
ffptkioskdailysummary.sql	Oct. 20, 2003	14118
ffptreusablepromobydate.sql	Sep. 24, 2003	10651
ffptuigetvalidpromocodeid.sql	Oct. 7, 2003	1465
ffptusedoncepromobydate.sql	Sep. 23, 2003	10309
ffsaveadmindisc.sql	Oct. 19, 2003	4485
ffsavedefaultkiosk.sql	Feb. 26, 2004	3601
ffsavedisc.sql	Nov. 16, 2003	5153
ffsavedischistory.sql	Nov. 16, 2003	1212
ffsavefranchise.sql	Feb. 26, 2004	5581
ffsavekiosk.sql	Feb. 26, 2004	6614
ffsavekioskgroup.sql	Oct. 3, 2003	1846
ffsavekioskslot.sql	Oct. 14, 2003	1515
ffsavelineitem.sql	Feb. 26, 2004	5292
ffsavelocale.sql	Nov. 16, 2003	1097
ffsavepayment.sql	Nov. 16, 2003	3563
ffsavepaymentcard.sql	Nov. 16, 2003	4646
ffsaveplayitem.sql	Jan. 7, 2004	1871
ffsaveplaylist.sql	Jan. 7, 2004	7827
ffsavepricemodel.sql	Feb. 27, 2004	3747

TABLE A-continued

FILENAME	DATE	SIZE
ffsavepriceoption.sql	Feb. 27, 2004	3792
ffsavepromouse.sql	Nov. 16, 2003	2557
ffsavepropertygroup.sql	Jan. 7, 2004	1228
ffsavepropertygroupmember.sql	Jan. 7, 2004	968
ffsavepropertyplayitempolicy.sql	Jan. 7, 2004	1336
ffsaverregularpricing.sql	Feb. 27, 2004	2852
ffsaveusablepromo.sql	Jul. 21, 2003	725
ffsavespecialpricing.sql	Feb. 27, 2004	2870
ffsavetitle.sql	Feb. 26, 2004	3910
ffsavetitletranslation.sql	Feb. 26, 2004	3204
ffsavetransaction.sql	Feb. 26, 2004	4630
ffsaveuseoncepercardpromo.sql	Jul. 21, 2003	743
ffsaveuseoncepromo.sql	Jul. 21, 2003	722
ffupdatekioskaction.sql	Jul. 23, 2003	622
ffupdatekioskbasics.sql	Oct. 8, 2003	1547
ffupdatekiosklastalertnonstatus.sql	Jan. 6, 2004	1245
ffupdatekiosklastalertstatus.sql	Jan. 6, 2004	1212
ffupdatekioskping.sql	Nov. 16, 2003	1375
ffupdatekiosksetup.sql	Oct. 8, 2003	4780
ffupdatepromoline.sql	Nov. 16, 2003	1125
ffupdateitledescription.sql	Jan. 7, 2004	879
ffdefaultpricing.sql	Jun. 23, 2003	706
ffdelinquent.sql	Jul. 2, 2003	995
ffdischistory.sql	Jun. 27, 2003	797
ffdiscinventory.sql	Jun. 27, 2003	1256
ffdiscstatus.sql	Aug. 15, 2003	550
ffdwkioskdailysummary.sql	Sep. 11, 2003	863
ffdwreusablepromobydate.sql	Sep. 24, 2003	670
ffdwusedoncepromobydate.sql	Sep. 11, 2003	588
ffformattranslation.sql	Jul. 21, 2003	601
fffranchise.sql	Nov. 16, 2003	1902
fffranchisetitletypecap.sql	Jul. 22, 2003	793
fffranchisettranslation.sql	Feb. 26, 2004	1288
ffgenre.sql	Jul. 2, 2003	541
ffgenretranslation.sql	Jul. 14, 2003	599
ffgroupcode.sql	Nov. 16, 2003	542
ffgroupcodekioskgroup.sql	Aug. 7, 2003	678
ffkioskaction.sql	Jul. 22, 2003	592
ffkioskbaiscstranslation.sql	Jul. 21, 2003	1093
ffkioskbasics.sql	Nov. 16, 2003	1841
ffkioskgroup.sql	Nov. 16, 2003	579
ffkioskpaymentcardtype.sql	Nov. 16, 2003	606
ffkiosksetup.sql	Nov. 16, 2003	1897
ffkioskslot.sql	Sep. 4, 2003	671
ffkioskstatus.sql	Feb. 26, 2004	1017
fflineitem.sql	Nov. 16, 2003	1623
fflocale.sql	Nov. 16, 2003	740
fflogin.sql	Nov. 16, 2003	668
ffloginrole.sql	Nov. 16, 2003	522
fflookup.sql	Jul. 10, 2003	624
fflookuptranslation.sql	Jul. 21, 2003	723
fflookuptype.sql	Jun. 27, 2003	523
ffmedia.sql	Jul. 21, 2003	679
ffoperation.sql	Aug. 27, 2003	542
ffpage.sql	Nov. 16, 2003	611
ffpayment.sql	Nov. 16, 2003	1096
ffpaymentcard.sql	Nov. 16, 2003	1270
ffpaymentcardtype.sql	Nov. 16, 2003	654
ffpaymentcardtypetranslation.sql	Nov. 16, 2003	696
ffplaylist.sql	Nov. 16, 2003	964
ffpricemodel.sql	Jul. 21, 2003	581
ffpriceoption.sql	Jul. 21, 2003	595
ffprocessor.sql	Jun. 27, 2003	551
ffpromo.sql	Feb. 26, 2004	928
ffpromotype.sql	Jun. 27, 2003	573
ffpromouse.sql	Jun. 27, 2003	687
ffpropertygroup.sql	Jan. 20, 2004	874
ffpropertygroupmember.sql	Dec. 30, 2003	738
ffpropertyplayitem.sql	Dec. 30, 2003	991
ffpropertyplayitempolicy.sql	Dec. 30, 2003	791
ffrating.sql	Jun. 23, 2003	572
ffratingsystem.sql	Jun. 23, 2003	578
ffregularpricing.sql	Nov. 16, 2003	1009
ffresource.sql	Jul. 15, 2003	633
ffrole.sql	Jul. 25, 2003	592
ffrolepagerights.sql	Jun. 23, 2003	645
ffsequence.sql	Jun. 11, 2003	545
ffserverconfig.sql	Nov. 16, 2003	665

TABLE A-continued

FILENAME	DATE	SIZE
ffsitetype.sql	Jun. 23, 2003	519
ffspecialpricing.sql	Nov. 16, 2003	1053
fftexttranslation.sql	Nov. 16, 2003	692
fftimezonetranslation.sql	Jan. 9, 2004	625
fftitle.sql	Nov. 16, 2003	1176
fftitletranslation.sql	Nov. 16, 2003	1022
fftitletype.sql	Nov. 16, 2003	536
fftitletypetranslation.sql	Feb. 26, 2004	661
fftmpident.sql	Oct. 5, 2003	522
fftransaction.sql	Nov. 16, 2003	1489
tr_ffdefaultpricing_u.sql	Sep. 19, 2003	384
tr_ffdelinquent_u.sql	Oct. 10, 2003	360
tr_ffdischistory_u.sql	Nov. 16, 2003	368
tr_ffdiscinventory_u.sql	Nov. 16, 2003	376
tr_ffdiscstatus_u.sql	Aug. 15, 2003	361
tr_ffforniattranslation_u.sql	Oct. 10, 2003	442
tr_fffranchisetitletypecap_u.sql	Jul. 22, 2003	530
tr_fffranchisettranslation_u.sql	Sep. 19, 2003	462
tr_fffranchise_u.sql	Aug. 7, 2003	354
tr_ffgenretranslation_u.sql	Sep. 19, 2003	435
tr_ffgenre_u.sql	Sep. 19, 2003	326
tr_ffgroupcodekioskgroup_u.sql	Aug. 7, 2003	466
tr_ffgroupcode_u.sql	Aug. 7, 2003	354
tr_ffkioskaction_u.sql	Jul. 22, 2003	416
tr_ffkioskbasicstranslation_u.sql	Sep. 4, 2003	464
tr_ffkioskbasics_u.sql	Jul. 29, 2003	356
tr_ffkioskgroup_u.sql	Oct. 10, 2003	361
tr_ffkioskpaymentcardtype_u.sql	Jul. 25, 2003	473
tr_ffkiosksetup_u.sql	Oct. 10, 2003	353
tr_ffkioskslot_u.sql	Sep. 4, 2003	392
tr_ffkioskstatus_u.sql	Oct. 10, 2003	356
tr_fflineitem_u.sql	Nov. 16, 2003	347
tr_fflocale_u.sql	Nov. 16, 2003	333
tr_ffloginrole_u.sql	Jul. 25, 2003	396
tr_fflogin_u.sql	Jul. 25, 2003	386
tr_fflookuptranslation_u.sql	Oct. 10, 2003	444
tr_fflookuptype_u.sql	Oct. 10, 2003	351
tr_fflookup_u.sql	Oct. 10, 2003	335
tr_ffoperation_u.sql	Aug. 26, 2003	354
tr_ffpage_u.sql	Oct. 10, 2003	319
tr_ffpaymentcardtypetranslation_u.sql	Jul. 25, 2003	505
tr_ffpaymentcardtype_u.sql	Jul. 25, 2003	396
tr_ffpaymentcard_u.sql	Nov. 16, 2003	368
tr_ffpayment_u.sql	Nov. 16, 2003	340
tr_ffplaylist_u.sql	Aug. 1, 2003	519
tr_ffpricemodel_u.sql	Oct. 10, 2003	421
tr_ffpriceoption_u.sql	Oct. 10, 2003	428
tr_ffprocessor_u.sql	Oct. 10, 2003	354
tr_ffpromotype_u.sql	Oct. 10, 2003	355
tr_ffpromouse_u.sql	Oct. 10, 2003	348
tr_ffpromo_u.sql	Oct. 10, 2003	328
tr_ffpropertygroupmember_u.sql	Dec. 30, 2003	528
tr_ffpropertygroup_u.sql	Dec. 30, 2003	382
tr_ffpropertyplayitempolicy_u.sql	Dec. 30, 2003	429
tr_ffpropertyplayitem_u.sql	Dec. 30, 2003	387
tr_ffratingsystem_u.sql	Oct. 10, 2003	375
tr_ffrating_u.sql	Oct. 10, 2003	333
tr_ffregularpricing_u.sql	Aug. 27, 2003	389
tr_ffrolepagerights_u.sql	Oct. 10, 2003	459
tr_ffrole_u.sql	Jul. 25, 2003	319
tr_ffserverconfig_u.sql	Jul. 31, 2003	375
tr_ffsitetype_u.sql	Oct. 10, 2003	347
tr_ffspecialpricing_u.sql	Aug. 27, 2003	389
tr_fftexttranslation_u.sql	Jul. 22, 2003	468
tr_fftimezonetranslation_u.sql	Jan. 9, 2004	456
tr_fftitletranslation_u.sql	Aug. 26, 2003	435
tr_fftitletypetranslation_u.sql	Jul. 25, 2003	463
tr_fftitletype_u.sql	Jul. 25, 2003	354
tr_fftitle_u.sql	Aug. 26, 2003	326
tr_fftransaction_u.sql	Nov. 16, 2003	368
ffdefaultpricing.sql	Jun. 23, 2003	586
ffdelinquent.sql	Jun. 18, 2003	672
ffdiscdetail.sql	Jul. 4, 2003	426
ffdischistory.sql	Jun. 27, 2003	596
ffdiscinventory.sql	Nov. 16, 2003	1358
ffdiscinventoryall.sql	Sep. 23, 2003	1341
ffdiscstatus.sql	Aug. 15, 2003	420
ffdwkioskdailysummary.sql	Sep. 11, 2003	756

TABLE A-continued

FILENAME	DATE	SIZE
ffdwreusablepromobydate.sql	Sep. 11, 2003	539
ffdwusedoncepromobydate.sql	Sep. 11, 2003	472
ffformattranslation.sql	Jul. 15, 2003	470
fffranchise.sql	Nov. 16, 2003	900
fffranchiseandprocessor.sql	Oct. 19, 2003	1205
fffranchiseandtranslation.sql	Feb. 26, 2004	1843
fffranchisetitletypecap.sql	Aug. 29, 2003	655
fffranchisettranslation.sql	Feb. 26, 2004	1050
ffgenre.sql	Nov. 16, 2003	442
ffgenreandtranslation.sql	Nov. 16, 2003	710
ffgenretranslation.sql	Nov. 16, 2003	480
ffgraphicplaylist.sql	Jan. 27, 2004	4078
ffgroupcode.sql	Nov. 16, 2003	433
ffgroupcodekioskgroup.sql	Aug. 29, 2003	514
ffkiosk.sql	Nov. 16, 2003	1130
ffkioskaction.sql	Aug. 29, 2003	505
ffkioskbadslot.sql	Sep. 4, 2003	281
ffkioskbasics.sql	Nov. 16, 2003	1679
ffkioskbasicsandsetup.sql	Nov. 16, 2003	1734
ffkioskbasicsandtranslation.sql	Nov. 16, 2003	2460
ffkioskbasicstranslation.sql	Nov. 16, 2003	952
ffkioskgenre.sql	Nov. 16, 2003	636
ffkioskgroup.sql	Nov. 16, 2003	476
ffkioskgroupcode.sql	Nov. 16, 2003	764
ffkiosklocale.sql	Nov. 16, 2003	575
ffkioskpaymentcard.sql	Nov. 16, 2003	2203
ffkioskpaymentcardtype.sql	Nov. 16, 2003	515
ffkioskproperty.sql	Jan. 8, 2004	936
ffkioskrating.sql	Nov. 16, 2003	642
ffkioskratingsystem.sql	Nov. 16, 2003	634
ffkioskregularpricing.sql	Feb. 26, 2004	750
ffkioskrolelogin.sql	Aug. 29, 2003	1254
ffkioskrolepage.sql	Sep. 29, 2003	499
ffkiosksetup.sql	Nov. 16, 2003	2090
ffkioskslot.sql	Sep. 4, 2003	459
ffkioskslotoffset.sql	Sep. 4, 2003	291
ffkioskspcialpricing.sql	Feb. 26, 2004	791
ffkioskstatus.sql	Feb. 26, 2004	949
ffkiosktexttranslation.sql	Nov. 16, 2003	1186
ffkiosktitle.sql	Nov. 16, 2003	1444
ffkiosktitletype.sql	Feb. 26, 2004	1725
ffkiosktitletypecap.sql	Feb. 26, 2004	1782
fflineitem.sql	Nov. 16, 2003	1892
fflocale.sql	Nov. 16, 2003	615
fflogin.sql	Nov. 16, 2003	538
ffloginrole.sql	Nov. 16, 2003	420
fflookup.sql	Jul. 15, 2003	564
fflookupandtranslation.sql	Nov. 16, 2003	1261
fflookuptranslation.sql	Nov. 16, 2003	608
fflookuptype.sql	Nov. 16, 2003	429
ffmedia.sql	Nov. 16, 2003	556
ffmediaplaylist.sql	Nov. 16, 2003	668
ffoperation.sql	Aug. 29, 2003	433
ffpage.sql	Nov. 16, 2003	480
ffpayment.sql	Nov. 16, 2003	1296
ffpaymentcard.sql	Nov. 16, 2003	1181
ffpaymentcardtype.sql	Nov. 16, 2003	494
ffpaymentcardtypeandtranslation.sql	Nov. 16, 2003	861
ffpaymentcardtypetranslation.sql	Nov. 16, 2003	575
ffpricemodel.sql	Nov. 16, 2003	478
ffpriceoption.sql	Nov. 16, 2003	485
ffprocessor.sql	Nov. 16, 2003	457
ffpromo.sql	Nov. 16, 2003	718
ffpromoall.sql	Sep. 23, 2003	702
ffpromotype.sql	Nov. 16, 2003	433
ffpromouse.sql	Nov. 16, 2003	619
ffpropertygroup.sql	Dec. 30, 2003	611
ffpropertygroupmember.sql	Dec. 30, 2003	522
ffpropertyplayitem.sql	Dec. 30, 2003	661
ffpropertyplayitempolicy.sql	Dec. 30, 2003	627
ffrating.sql	Nov. 16, 2003	492
ffratingsystem.sql	Nov. 16, 2003	493
ffregularpricing.sql	Nov. 16, 2003	789
ffresource.sql	Nov. 16, 2003	538
ffrole.sql	Aug. 29, 2003	490
ffrolepagerights.sql	Nov. 16, 2003	554
ffsequence.sql	Jun. 11, 2003	487
ffserverconfig.sql	Nov. 16, 2003	510

TABLE A-continued

FILENAME	DATE	SIZE
ffsitetype.sql	Nov. 16, 2003	426
ffspcialpricing.sql	Nov. 16, 2003	805
ffstaticplaylist.sql	Nov. 16, 2003	587
fftexttranslation.sql	Nov. 16, 2003	538
fftimezonetranslation.sql	Jan. 11, 2004	506
fftitle.sql	Nov. 16, 2003	991
fftitleandtranslation.sql	Nov. 16, 2003	1465
fftitletranslation.sql	Nov. 16, 2003	660
fftitletype.sql	Nov. 16, 2003	431
fftitleypeandtranslation.sql	Feb. 26, 2004	783
fftitleypetranslation.sql	Feb. 26, 2004	553
fftransaction.sql	Jul. 21, 2003	1164
ffuser.sql	Jul. 15, 2003	626
ffvideoplaylist.sql	Jan. 27, 2004	4730
adjustment.sql	Jan. 22, 2004	410
aem.sql	Jan. 22, 2004	1108
discinventory.sql	Jan. 22, 2004	776
lineitem.sql	Jan. 22, 2004	794
promo.sql	Jan. 22, 2004	1904
title.sql	Feb. 27, 2004	5011
transaction.sql	Jan. 22, 2004	4195
userpaymentcard.sql	Jan. 22, 2004	639
aemcomm.txt	May 22, 2003	1441
formmail.pl	May 19, 2003	29889
admin.web.xml	Feb. 26, 2004	15414
aemserver.properties	Aug. 19, 2003	553
aemserver.web.xml	Nov. 4, 2003	531
ffserver.properties	Feb. 26, 2004	1802
log.properties	Jul. 23, 2003	43
web.xml	Nov. 16, 2003	13129
datepicker.js	Feb. 26, 2004	16723
dateutility.js	Oct. 7, 2003	3794
navigation.js	Jun. 15, 2003	530
simple.css	Sep. 26, 2003	2238
utility.js	Feb. 26, 2004	2388
admin.jsp	Nov. 16, 2003	3411
companygroupdetails.jsp	Feb. 26, 2004	24135
companygroupolist.jsp	Feb. 26, 2004	9086
companygroupquery.jsp	Feb. 26, 2004	6226
customerdetails.jsp	Feb. 26, 2004	10945
customerhistory.jsp	Nov. 16, 2003	9781
customerlist.jsp	Feb. 26, 2004	9766
customerquery.jsp	Feb. 26, 2004	4986
dataexport.jsp	Feb. 26, 2004	13133
discdetails.jsp	Feb. 26, 2004	13141
disclist.jsp	Feb. 26, 2004	13971
discquery.jsp	Feb. 26, 2004	4954
dumprequest.jsp	Jun. 19, 2003	1038
dvdplayererror.jsp	Nov. 16, 2003	1452
formatlookup.jsp	Nov. 16, 2003	7975
formatnamelookup.jsp	Nov. 16, 2003	9596
genrelookup.jsp	Nov. 16, 2003	8890
genrenamelookup.jsp	Nov. 16, 2003	9617
helplist.jsp	Nov. 16, 2003	6460
kioskdetails.jsp	Feb. 26, 2004	25905
kiosklist.jsp	Feb. 26, 2004	10433
kioskquery.jsp	Feb. 26, 2004	6167
kioskreporterrorpage.jsp	Jun. 15, 2003	447
kioskstatus.jsp	Nov. 16, 2003	7546
languagelookup.jsp	Nov. 16, 2003	8473
latefeenotify.jsp	Feb. 26, 2004	5916
login.jsp	Nov. 16, 2003	1570
lookuptablesmenu.jsp	Nov. 16, 2003	5503
marketing.jsp	Dec. 31, 2003	4272
marketingcommercialdeployment.jsp	Jan. 23, 2004	1799
marketingcorporatetools.jsp	Jan. 23, 2004	3642
marketingfranchisereporting.jsp	Jan. 23, 2004	1767
menuheader.jsp	Feb. 26, 2004	3539
pricemodellookup.jsp	Feb. 26, 2004	9321
priceoptionlookup.jsp	Feb. 26, 2004	8828
pricing.jsp	Nov. 16, 2003	26132
promodetails.jsp	Feb. 26, 2004	12625
promolist.jsp	Feb. 26, 2004	8487
promonotify.jsp	Feb. 26, 2004	2569
querypage.jsp	Nov. 16, 2003	8023
ratinglookup.jsp	Nov. 16, 2003	10956
ratingsystemlookup.jsp	Nov. 16, 2003	9333
refundreceipt.jsp	Feb. 26, 2004	5876

TABLE A-continued

FILENAME	DATE	SIZE
rentalreceipt.jsp	Feb. 26, 2004	7311
reports.jsp	Feb. 26, 2004	11091
reportsquery.jsp	Feb. 26, 2004	26836
reportsreusablecode.jsp	Nov. 16, 2003	9134
showdvdisplayexception.jsp	Jun. 19, 2003	176
sitetypelookup.jsp	Nov. 16, 2003	8381
titledetails.jsp	Feb. 26, 2004	41079
titlehist.jsp	Feb. 26, 2004	11416
titlequery.jsp	Feb. 26, 2004	7521
titletypelookup.jsp	Nov. 16, 2003	8259
titletypenamelookup.jsp	Nov. 16, 2003	9782
trailers.jsp	Jan. 23, 2004	8410
transactiondetails.jsp	Feb. 26, 2004	38104
transactionlist.jsp	Feb. 26, 2004	14931
transactionquery.jsp	Feb. 26, 2004	4630
viewlogfile.jsp	Jun. 15, 2003	881
adminenvironment.java	Nov. 16, 2003	10478
adminserversession.java	Oct. 3, 2003	1372
adminservlet.java	Feb. 26, 2004	20648
cmdgetconstants.java	Feb. 26, 2004	1640
cmdgethelp.java	Nov. 16, 2003	1046
cmdgetinit.java	Feb. 26, 2004	48624
cmdgetlookuptables.java	Feb. 26, 2004	4318
cmdgetreports.java	Nov. 16, 2003	1900
command.java	Nov. 16, 2003	356
commandexception.java	Jun. 15, 2003	341
commandtoken.java	Nov. 16, 2003	2381
ffserverproperties.java	Nov. 16, 2003	3418
aem.java	Apr. 17, 2004	110537
aemapp.java	Feb. 26, 2004	13310
aemexception.java	Jun. 4, 2003	362
aemfactory.java	Mar. 1, 2004	375
arm.java	Mar. 25, 2004	4836
armexception.java	Jun. 4, 2003	303
barcode.java	Jun. 4, 2003	330
barcode reader.java	Nov. 16, 2003	1467
bootstrap.java	Mar. 10, 2004	1427
carousel.java	Mar. 25, 2004	10104
carouselexception.java	Jun. 4, 2003	311
cmdgetkioskdetails.java	Feb. 26, 2004	24743
cmdgetkiosklist.java	Feb. 26, 2004	21084
cmdgetkioskstatus.java	Nov. 16, 2003	6812
creditcard.java	Aug. 29, 2003	391
creditcardreader.java	Nov. 16, 2003	467
creditcardthread.java	Nov. 16, 2003	3397
door.java	Mar. 25, 2004	5958
doorexception.java	Jun. 4, 2003	304
dpec.java	Apr. 6, 2004	12744
fight.ava	Mar. 10, 2004	1031
lightexception.java	Jun. 4, 2003	304
nmc.java	Nov. 16, 2003	3431
roller.java	Mar. 4, 2004	1360
rollerexception.java	Jun. 4, 2003	307
sensor.java	Mar. 4, 2004	650
servo.java	Apr. 17, 2004	6865
servocallback.java	Apr. 6, 2004	10638
servocallbackfactory.java	Mar. 10, 2004	799
servoex.java	Apr. 17, 2004	41228
servoexception.java	Jun. 5, 2003	304
servofactory.java	Apr. 1, 2004	2627
servoplus.java	Apr. 19, 2004	9392
servoprime.java	Feb. 23, 2004	199
commn.java	Feb. 26, 2004	14481
commexception.java	Jun. 17, 2003	359
aemgui.java	Mar. 30, 2004	17844
commandmap.java	Mar. 24, 2004	20760
tools.java	Mar. 30, 2004	10031
aemserver.java	Nov. 16, 2003	9960
aemserverconfig.java	Nov. 16, 2003	2212
checkpromocodecommand.java	Feb. 26, 2004	7626
command.java	Nov. 16, 2003	730
commandfactory.java	Nov. 16, 2003	3982
confirmdispense.java	Feb. 27, 2004	12432
discremoved.java	Nov. 16, 2003	10112
discreturnd.java	Nov. 16, 2003	10720
garbagecollect.java	Sep. 10, 2003	2560
getreceipt.java	Feb. 26, 2004	6094
monitorserver.java	Sep. 10, 2003	2364

TABLE A-continued

FILENAME	DATE	SIZE
ping.java	Nov. 16, 2003	13243
processpayment.java	Feb. 26, 2004	11065
servletutils.java	Feb. 26, 2004	6180
abstractbottombar.java	Jun. 4, 2003	1474
abstractcontentbar.java	Feb. 26, 2004	8080
abstracthardwarethread.java	Mar. 1, 2004	1797
abstracttoolspanel.java	Mar. 3, 2004	21520
abstracttopbar.java	Jun. 4, 2003	1328
baseactionlistener.java	Jan. 21, 2004	1266
cmdgetlanguagelookup.java	Nov. 16, 2003	17175
dvdplaybase.java	Apr. 1, 2004	84945
dvdplaylocale.java	Oct. 28, 2003	3642
datapacket.dtd	May 23, 2003	282
datapacketcomposer.java	Feb. 26, 2004	23560
nvpair.java	May 23, 2003	2641
nvpairset.java	May 23, 2003	2413
rcset.java	Jun. 13, 2003	4183
rdatasetfieldvalues.java	May 23, 2003	1631
rmetafield.java	May 23, 2003	2608
rmetarow.java	May 23, 2003	2736
admindatamodule.java	Feb. 26, 2004	77453
admindatamoduleconstants.java	Feb. 26, 2004	63002
column.java	Jul. 7, 2003	3371
databaseexception.java	Jun. 15, 2003	336
databaseutil.java	Jun. 15, 2003	2349
dataproducer.java	Nov. 16, 2003	885
dataproducerfactory.java	Nov. 16, 2003	3952
dataproducerpool.java	Nov. 16, 2003	5781
datarow.java	Jul. 7, 2003	4083
datastorage.java	Feb. 26, 2004	4309
ffserver.properties	Jul. 7, 2003	1384
idataprovider.java	Jun. 4, 2003	780
idataproviderfactory.java	Jun. 4, 2003	754
iprocedure.java	Feb. 26, 2004	2480
iquery.java	Nov. 16, 2003	9317
locate.java	Jul. 7, 2003	321
logindatamodule.java	Feb. 26, 2004	15240
parameterrrow.java	Jul. 7, 2003	1834
proceduredataset.java	Jul. 7, 2003	1222
querydataset.java	Feb. 26, 2004	11611
sqlstates.java	Jul. 15, 2003	338
variant.java	Jul. 7, 2003	11119
variantformatter.java	Jul. 7, 2003	961
mssqldataprovider.java	Nov. 16, 2003	6400
mssqlprocedure.java	Feb. 26, 2004	64208
mssqlproviderfactory.java	Nov. 16, 2003	1580
mssqlquery.java	Nov. 16, 2003	48502
ibusinesstransaction.java	Jun. 17, 2003	656
domdata.java	Mar. 19, 2004	70532
domdataexception.java	Aug. 7, 2003	363
persistencedata.java	Feb. 26, 2004	11344
aemserverobjectexception.java	Jun. 4, 2003	718
dataaccessexception.java	Jun. 4, 2003	1206
dvdexception.java	Jun. 15, 2003	260
dvdplayexception.java	Jul. 2, 2003	1697
exceptioncodes.iava	Feb. 26, 2004	4327
authorizingpaymentcard.java	Feb. 26, 2004	4798
badslots.java	Nov. 16, 2003	2799
barcodepgtest.java	Mar. 4, 2004	4855
cardreaderhid.java	Nov. 16, 2003	3626
controller.java	Feb. 27, 2004	524
controllerex.java	Mar. 4, 2004	19133
controllerplus.java	Mar. 1, 2004	254
cycletest.java	Apr. 9, 2004	14916
deliveringdvd.java	Nov. 16, 2003	2299
detectingdiscin.java	Mar. 10, 2004	1091
errorlog.java	Jun. 6, 2003	505
helpmain.java	Feb. 26, 2004	2251
identifyingdisc.java	Nov. 16, 2003	1362
initializingaem.java	Mar. 4, 2004	1197
inventorycheck.java	Apr. 9, 2004	15969
login.java	Mar. 1, 2004	1764
main.java	Apr. 1, 2004	1689
operator.java	Mar. 30, 2004	4441
pushingdiscalltheway.java	Mar. 19, 2004	1938
removediscs.java	Mar. 30, 2004	7925
removedvd.java	Apr. 1, 2004	2597
returnerror.java	Mar. 24, 2004	1930

TABLE A-continued

FILENAME	DATE	SIZE
returningmovie.java	Mar. 19, 2004	1710
servoparams.java	Mar. 3, 2004	274
servoparamsex.java	Mar. 4, 2004	10979
simpleremovediscs.java	Mar. 4, 2004	6629
slotcal.java	Mar. 3, 2004	270
slotcalex.java	Mar. 4, 2004	27924
swipepaymentcard.java	Nov. 16, 2003	2478
unabletorecognizemovie.java	Mar. 24, 2004	1727
cmdgetdiscdetails.java	Feb. 26, 2004	10017
cmdgetdisclist.java	Feb. 26, 2004	16122
cmdgetformatlookup.java	Nov. 16, 2003	15415
cmdgetformatnamelookup.java	Nov. 16, 2003	8722
cmdgetgenrelookup.java	Nov. 16, 2003	15544
cmdgetgenrenamelookup.java	Nov. 16, 2003	8520
cmdgetratinglookup.java	Nov. 16, 2003	18066
cmdgetratingsystemlookup.java	Nov. 16, 2003	15652
cmdgettitledetails.java	Feb. 26, 2004	14730
cmdgettitledlist.java	Feb. 26, 2004	21641
cmdgettitledtypelookup.java	Nov. 16, 2003	15598
cmddaettitledtypepenamelookup.java	Nov. 16, 2003	8857
cmdtrailerplaylist.java	Jan. 7, 2004	4945
disc.java	Nov. 16, 2003	8892
discapp.java	Feb. 26, 2004	35064
discindex.java	Feb. 26, 2004	4335
discindexitem.java	Feb. 26, 2004	10380
genreitem.java	Jun. 4, 2003	1262
inventory.java	Mar. 4, 2004	94014
inventoryexception.java	Jul. 2, 2003	941
localeindex.java	Jul. 14, 2003	1177
localeindexitem.java	Jul. 14, 2003	1135
paymentcardtypeindex.java	Aug. 5, 2003	1632
paymentcardtypeindexitem.java	Aug. 5, 2003	2081
playlist.java	Nov. 16, 2003	1153
playlistitem.java	Feb. 26, 2004	3968
pricingitem.java	Feb. 26, 2004	5993
slotindex.java	Mar. 4, 2004	3519
sorttitleddiscindex.java	Sep. 29, 2003	3648
sorttitleddiscindexitem.java	Jul. 14, 2003	3182
streetdateddiscindex.java	Sep. 29, 2003	3672
streetdateddiscindexitem.java	Jul. 14, 2003	3401
title.java	Feb. 26, 2004	13961
titleindex.java	Nov. 16, 2003	2394
titleindexitem.java	Jun. 4, 2003	663
titletypeindex.java	Jul. 14, 2003	1464
titletypeindexitem.java	Feb. 26, 2004	2158
dvdplayformatter.java	Oct. 10, 2003	2476
dvdplaylevel.java	Jul. 29, 2003	619
lckfilefilter.java	Aug. 1, 2003	557
log.java	Feb. 26, 2004	20142
logfile.java	Nov. 16, 2003	3069
playlistmanager.java	Feb. 26, 2004	9086
trigger.java	Feb. 26, 2004	634
accountmanagertablemodel.java	Jun. 20, 2003	2976
aemcontent.java	Feb. 26, 2004	8940
badslotstablemodel.java	Nov. 16, 2003	3257
barcodehash.java	Jul. 30, 2003	453
buttonstatushash.java	Jul. 30, 2003	421
discinventorytablemodel.java	Nov. 16, 2003	3571
error.java	Aug. 6, 2003	2131
help.java	Feb. 26, 2004	3840
popupyesno.java	Jul. 30, 2003	383
slotcaltablemodel.java	Mar. 3, 2004	2894
sortingcolumnmodel.java	Nov. 16, 2003	9953
tablemap.java	Aug. 6, 2003	2078
testconnectionhash.java	Jul. 30, 2003	251
cmdgetcompanygroupdetails.java	Feb. 26, 2004	16756
cmdgetcompanygroupolist.java	Feb. 26, 2004	16718
cmdgetmarketing.java	Dec. 31, 2003	950
cmdgetsitetypelookup.java	Nov. 16, 2003	16183
franchise.java	Feb. 26, 2004	17918
cmdgettransactiondetails.java	Feb. 26, 2004	17436
cmdgettransactionlist.java	Feb. 26, 2004	19933
creditcard.java	Nov. 16, 2003	7889
emailuser.java	Jun. 15, 2003	4995
itransaction.java	Feb. 26, 2004	565
lineitem.java	Feb. 26, 2004	54831
payment.java	Nov. 16, 2003	33845
paymentcard.java	Feb. 26, 2004	30972

TABLE A-continued

FILENAME	DATE	SIZE
paymentcardfactory.java	Nov. 16, 2003	11065
paymentexception.java	Jun. 30, 2003	929
paymentprocesson.java	Nov. 16, 2003	4331
processorfactory.java	Nov. 16, 2003	1126
receipt.java	Feb. 26, 2004	9970
receiptdata.java	Jun. 15, 2003	1027
receiptfactory.java	Feb. 26, 2004	17784
receiptlineitem.java	Jun. 15, 2003	795
receiptrules.java	Feb. 26, 2004	13135
refundtransaction.java	Feb. 26, 2004	11340
regulartransaction.java	Feb. 26, 2004	18307
renewaltransaction.java	Feb. 26, 2004	28121
transaction.java	Feb. 26, 2004	24278
transactiondetailsbean.java	Jun. 15, 2003	343
transactionfactory.java	Nov. 16, 2003	2671
verisignexception.java	Jul. 2, 2003	932
verisignprocessor.java	Nov. 16, 2003	11697
verisignrules.java	Jun. 15, 2003	5507
verisigntransactionbean.java	Jun. 15, 2003	3867
cmdgetpricemodellookup.java	Feb. 26, 2004	16159
cmdgetpriceoptionlookup.java	Feb. 26, 2004	17304
cmdgetpricing.java	Feb. 26, 2004	43074
regularpricing.java	Sep. 8, 2003	2305
specialpricing.java	Sep. 8, 2003	2552
cmdgetpromolist.java	Feb. 26, 2004	14242
factorypromo.java	Feb. 26, 2004	25522
factorypromoreusable.java	Feb. 26, 2004	3872
factoryuseoncepercardpromo.java	Feb. 26, 2004	4065
factoryuseoncepromo.java	Feb. 26, 2004	4866
ipromo.java	Feb. 26, 2004	2066
ipromolookuptypes.java	Sep. 24, 2003	1511
promo.java	Feb. 26, 2004	15338
promocode.java	Jun. 15, 2003	3230
promocodelist.java	Jun. 15, 2003	262
promocollection.java	Feb. 26, 2004	1119
promoexception.java	Jul. 7, 2003	1250
promohistory.java	Jul. 7, 2003	2129
promoreusable.java	Aug. 4, 2003	3911
promostatues.java	Jun. 15, 2003	356
promostorage.java	Nov. 16, 2003	1474
promotypes.java	Jun. 15, 2003	341
promousagecount.java	Jul. 7, 2003	592
promouse.java	Jun. 15, 2003	1385
promouseonce.java	Feb. 26, 2004	6383
promouseoncepercard.java	Aug. 4, 2003	5013
asynchrequest.java	May 30, 2003	2620
daterecordrequest.java	May 30, 2003	2149
datasetrequest.java	May 30, 2003	5800
getfragmentrequest.java	May 30, 2003	4622
getplcrecordrequest.java	May 30, 2003	4738
getrecoredrequest.java	May 30, 2003	2275
irequest.java	Jul. 2, 2003	922
pingrequest.java	Nov. 16, 2003	3534
queryrequest.java	May 30, 2003	2287
request.java	Nov. 16, 2003	8625
requestfactory.java	Nov. 16, 2003	4383
requestlogger.java	Oct. 8, 2003	1992
synchrequest.java	May 30, 2003	2623
fragments.java	Nov. 16, 2003	2519
requestcontext.java	Jun. 27, 2003	1266
requestcontroller.java	Feb. 26, 2004	18096
aboutcompanyscreen.java	Feb. 26, 2004	6274
accountmanagerpanel.java	Nov. 16, 2003	9183
aemstartuperrorscreen.java	Feb. 26, 2004	3218
applicationinitializing.java	Oct. 15, 2003	1471
authorizingpaymentscreen.java	Feb. 26, 2004	5290
badslotspanel.java	Nov. 16, 2003	4288
barcodeptestpanel.java	Feb. 27, 2004	8513
cardreaderhidpanel.java	Nov. 16, 2003	3210
cartablescreen.java	Feb. 26, 2004	18426
controllerpanel.java	Feb. 27, 2004	270
controllerpanelex.java	Feb. 23, 2004	26290
controllerpanelfactory.java	Mar. 29, 2004	921
controllerpanelplus.java	Mar. 1, 2004	268
cycletestpanel.java	Nov. 16, 2003	5178
deliveringdvdscreen.java	Feb. 26, 2004	8591
disctobelongscreen.java	Feb. 26, 2004	4144
dvddescriptionscreen.java	Feb. 26, 2004	29758

11

TABLE A-continued

FILENAME	DATE	SIZE
emailscreen.java	Feb. 26, 2004	8103
errorlogpanel.java	Nov. 16, 2003	1102
errorscreen.java	Feb. 26, 2004	13401
gamedescriptionscreen.java	Feb. 26, 2004	24581
gameselectionscreen.java	Nov. 16, 2003	27734
helpanswerscreen.java	Feb. 26, 2004	16534
helpmainscreen.java	Feb. 26, 2004	11272
identifyingmoviescreen.java	Feb. 26, 2004	5071
initializingaamscreen.java	Feb. 26, 2004	3766
inventorycheckpanel.java	Nov. 16, 2003	2251
loginpanel.java	Feb. 26, 2004	5249
mainscreen.java	Mar. 30, 2004	15635
maximumdiscexceededscreen.java	Jan. 22, 2004	16350
movieselectionscreen.java	Feb. 26, 2004	28745
mustbel8screen.java	Feb. 26, 2004	7475
operatorpanel.java	Nov. 16, 2003	7544
outoforderscreen.java	Dec. 30, 2003	7255
paymentcardapprovedscreen.java	Feb. 26, 2004	8836
promocodedescriptionscreen.java	Feb. 26, 2004	6761
promocodescreen.java	Feb. 26, 2004	12698
pushingdiscallthewayscreen.java	Feb. 26, 2004	4632
removediscpanel.java	Nov. 16, 2003	6089
removedvdscreen.java	Feb. 26, 2004	5700
rentalagreementscreen.java	Feb. 26, 2004	15895
returnerrorscreen.java	Feb. 26, 2004	4932
returningmoviescreen.java	Feb. 26, 2004	4971
returnmoviescreen.java	Feb. 26, 2004	5845
returnthankyouscreen.java	Apr. 7, 2004	15583
servoparampanel.java	Mar. 1, 2004	268
servoparamspanel.java	Mar. 1, 2004	14613
servoparamspanelfactory.java	Mar. 29, 2004	926
servoparamspanelplus.java	Mar. 1, 2004	223
simpleremovediscspanel.java	Feb. 26, 2004	6620
slotcalpanel.java	Mar. 1, 2004	264
slotcalpanelfactory.java	Mar. 3, 2004	10092
slotcalpanelfactory.java	Mar. 29, 2004	902
slotcalpanelplus.java	Mar. 1, 2004	265
swipepaymentcardscreen.java	Feb. 26, 2004	11557
timeoutscreen.java	Feb. 26, 2004	9421
unabletorecognizemoviescreen.java	Feb. 26, 2004	9386
zipcodescreen.java	Feb. 26, 2004	8510
email.java	Feb. 26, 2004	8478
heartbeatscreen.java	Feb. 26, 2004	24765
heartbeathread.java	Apr. 6, 2004	3675
iemail.java	Feb. 26, 2004	915
ievent.java	Jun. 25, 2003	265
missingposterthread.java	Nov. 16, 2003	7848
missingtrailerthread.java	Feb. 26, 2004	11914
queue.java	Feb. 26, 2004	8012
queueexception.java	Jun. 4, 2003	357
queuejob.java	Feb. 26, 2004	5743
queuethread.java	Nov. 16, 2003	572
sendlogthread.java	Aug. 19, 2003	1400
servercommandthread.java	Apr. 6, 2004	8271
shutdownthread.java	Nov. 16, 2003	1276
taskexception.java	Aug. 18, 2003	911
dbaddtitles.java	Oct. 10, 2003	8535
dbconnection.java	Feb. 26, 2004	1433
dbinterbasemigration.java	Oct. 6, 2003	6613
dblegacytitles.java	Oct. 10, 2003	6745
dbmediaplaylist.java	Oct. 31, 2003	5890
dbservercommand.java	Oct. 31, 2003	3927
dbstaticplaylist.java	Oct. 31, 2003	5079
dbunicodeaddtitles.java	Nov. 16, 2003	16407
dbupdate.java	Jun. 27, 2003	5252
dbupdatemfg.java	Sep. 12, 2003	15148
garbagecollect.java	Nov. 16, 2003	2238
monitorserver.java	Feb. 26, 2004	4035
monitorserverthread.java	Nov. 21, 2003	4870
sendaemdata.java	Sep. 4, 2003	3558
sendpersistencedata.java	Sep. 4, 2003	2399
updatechecksum.java	Sep. 4, 2003	3088
screenproperties.java	Feb. 26, 2004	12070
texttorows.java	Nov. 16, 2003	1818
cmdgetcustomerdetails.java	Feb. 26, 2004	3596
cmdgetcustomerhistory.java	Nov. 16, 2003	11932
cmdgetcustomerlist.java	Feb. 26, 2004	11182
customerdetailsbean.java	Jun. 15, 2003	337

12

TABLE A-continued

FILENAME	DATE	SIZE
user.java	Jun. 15, 2003	5411
useractions.java	Nov. 16, 2003	5003
userstorage.java	Nov. 16, 2003	5957
discaction.java	Mar. 4, 2004	3510
discactionexception.java	Jun. 4, 2003	378
discfound.java	Nov. 16, 2003	6380
discitem.java	Jun. 4, 2003	528
discmissing.java	Nov. 16, 2003	4576
discremove.java	Nov. 16, 2003	5859
discrental.java	Nov. 16, 2003	17957
discrentalexception.java	Jun. 4, 2003	378
discreturn.java	Nov. 16, 2003	9215
groupcodeexception.java	Jul. 14, 2003	326
maxdiscsallowedexception.java	Jun. 25, 2003	436
nodiscslotexception.java	Aug. 5, 2003	377
processpaymentvalidationexception.java	Aug. 5, 2003	398
promocodeexception.java	Aug. 5, 2003	368
removeop.java	Apr. 9, 2004	3512
removeopexception.java	Jun. 4, 2003	374
rentop.java	Apr. 9, 2004	16824
rentopexception.java	Jul. 2, 2003	461
returnop.java	Mar. 25, 2004	7030
returnopexception.java	Jun. 4, 2003	375
environment.java	Nov. 16, 2003	4885
execcommandline.java	Feb. 26, 2004	3979
formatutil.java	Jun. 15, 2003	8269
formatutility.java	Jun. 15, 2003	2542
ienvironment.java	Sep. 10, 2003	668
lookuputil.java	Jun. 15, 2003	566
reportutil.java	Feb. 26, 2004	2732
stopwatch.java	Aug. 6, 2003	935
util.java	Feb. 26, 2004	21009
utility.java	Jun. 15, 2003	19615
bottombarmodel.java	Feb. 26, 2004	16129
curvedborder.java	Jun. 4, 2003	1148
keyboardassembler.java	Feb. 26, 2004	6959
tablerenderer.java	Jun. 4, 2003	812
topbarmodel.java	Feb. 26, 2004	6515
utility.java	Nov. 16, 2003	2243
addtitles.bat	Nov. 3, 2003	562
aemapp.bat	Oct. 16, 2003	553
aemboot.bat	Oct. 13, 2003	313
aemclosed.bat	Jan. 27, 2004	152
aemcreate.bat	Oct. 8, 2003	549
aemdisplayoff.bat	Apr. 19, 2004	61
aemdisplayon.bat	Apr. 19, 2004	60
aeminst.bat	Aug. 7, 2003	366
aemmigrate.bat	Oct. 8, 2003	541
aemship.bat	Oct. 13, 2003	413
aemstandalone.bat	Oct. 8, 2003	419
aemstartapp.bat	Oct. 16, 2003	400
aemstartapp.vbs	Mar. 5, 2004	1601
aemtools.bat	Oct. 8, 2003	468
0overdue.txt	Feb. 5, 2004	155
0promonotify.txt	Feb. 5, 2004	108
0refund.txt	Feb. 5, 2004	99
0rental.txt	Feb. 5, 2004	108
50 alert.content.txt	Feb. 26, 2004	143

BACKGROUND

55 1. Field of the Invention

This invention relates to a system for an automated dispensing and retrieval kiosk for recorded media such as DVDs. More particularly, this invention relates to an apparatus for providing an automated, freestanding dispensing and retrieval system for automated retail distribution of recorded media, which is linked to a central server computer using the Internet.

60 2. Description of the Related Art

Retail outlets are commonplace hubs for sale or rental of recorded media. These outlets typically have a substantial inventory of optical media, and therefore require a building to house the inventory and provide a location for commerce. In

13

addition, staff is required for sale and/or rental of recorded media, processing of returned media and restocking of returned or new media. These requirements result in considerable overhead to a person or company seeking to run a business that trades in recorded media—for example, wages and rent must be paid regularly.

Some wishing to cash in on the recorded media trade have sought to reduce the aforementioned overhead by offering a limited supply of recorded media at an existing establishment, such as a convenience store. However, as staff is still required for sales, rentals and restocking, others have attempted to reduce overhead associated with the trade of recorded media through electronic commerce (EC). In this type of business model, a customer submits an order for recorded media via the Internet. A central warehouse then ships the ordered media through the mail, or using a private courier. The cost of operating a retail location is avoided with this business model. However, Internet-based distribution systems often have significant liabilities.

One such liability is that a customer must wait for an order to be shipped from a warehouse location. Another disadvantage is that stock may not be available at the time the order is processed. If stock is unavailable, an order may be placed on back-order until the requested recorded media is available, at which time the customer may no longer be interested in the requested media. Alternately, the order may be canceled. Another significant disadvantage of an Internet-based distribution system is the impracticality for media rental. The rental business is one of immediacy; a customer will rent an item that is available immediately, but may not rent if it is not available immediately. A customer is much less likely to rent an item that is shipped after ordering, requiring days for delivery. In addition, once a customer is finished with a rented item, that customer must deal with the inconvenience of return-shipping the media to the distribution location.

SUMMARY

There is need for a system for automated dispensing and retrieval of recorded media that takes advantage of the benefits of Internet-based distribution (such as creation of customer accounts, electronic payment and accrual of valuable customer information) while eliminating the aforementioned disadvantages (such as an extended waiting period to view an ordered media after rental and the requirement for return-shipping the media). There is also a need for a system for automated dispensing and retrieval of recorded media that eliminates the need for a retail outlet, attendant staff and associated expenses.

In one embodiment, a system for an automated dispensing and retrieval kiosk for recorded media includes a plurality of vertical racks in a circular formation, each rack configured for storing a plurality of recorded media. A customer interface allows a customer to select or return a recorded media. A robotic element delivers the selected recorded media from the vertical racks to a media output, at the customer interface. The element also delivers a returned recorded media from a media input at the customer interface to the vertical racks. A computer controls operation of the kiosk, and an Internet interface connects the kiosk to the Internet.

In one embodiment, a system for an automated dispensing and retrieval kiosk for recorded media includes a kiosk body; a storage subsystem within the body, for storing a plurality of recorded media; a presentation device supported in association with the body for presenting information to a customer; a customer interface for interacting with the customer in a transaction for a recorded media; a computer for controlling

14

operation of the kiosk; and a telecommunication subsystem for remote administration and billing interface with the computer. Program logic configured for interaction with the presentation device, facilitates selection and presentation of a particular category from the recorded media to consumers, according to predetermined selection criteria.

In one embodiment, an improvement in a kiosk used for dispensing and retrieval of recorded media includes a telecommunications system for exchanging data between a central administrator and the kiosk. The kiosk has electronic controls, responsive to instructions from the central administrator, for governing administration of the kiosk according to a selected one of a plurality of states. The include a first state which provides for automatic administration of the kiosk; and a second state which provides for remote administration of the kiosk via the telecommunications system, according to the instructions from the central administrator. The first state is governed by program instructions providing for one or more of: selecting a mix of recorded media for the kiosk inventory; converting a recorded media from rentable to saleable; performing software upgrades from one or more remote locations; performing analysis of the kiosk; predicting maintenance of the kiosk; determining an alarm condition; generating an alarm in response to the alarm condition; and performing maintenance of the kiosk

BRIEF DESCRIPTION OF THE FIGURES

FIG. 1A is a perspective view showing a system for an automated dispensing and retrieval kiosk for recorded media, in accordance with one embodiment.

FIG. 1B is a perspective view of the kiosk of FIG. 1A, with a transparent front door.

FIG. 2 is a perspective view of the kiosk of FIG. 1B, with the front door removed to show internal kiosk components.

FIG. 3 is a front perspective view of a horseshoe construct within the kiosk of FIG. 1, including a storage assembly for recorded media, a robotic element and an input/output module.

FIG. 4 is a rear perspective view of the horseshoe construct of FIG. 3.

FIG. 5A is a front perspective view of the horseshoe construct and storage assembly of FIG. 3.

FIG. 5B is a front perspective view of the horseshoe construct and robotic element of FIG. 3.

FIG. 5C is a front perspective view of the horseshoe construct and input/output module of FIG. 3.

FIG. 6A-6C are perspective views of the robotic element of FIG. 5B, with a gripping assembly for gripping and moving recorded media within a kiosk.

FIG. 7A is a side perspective view of the gripping assembly of FIGS. 6A-6C.

FIG. 7B is an alternate side perspective view of the gripping assembly of FIG. 7A.

FIG. 8A is a front perspective view of the input/output module of FIG. 3.

FIG. 8B is a rear perspective view of the input/output module of FIG. 8A.

FIG. 9 is a front perspective view of a system for an automated dispensing and retrieval kiosk with two customer interfaces, in accordance with one embodiment.

FIG. 10 is a front perspective view of the kiosk of FIG. 9, with a front door removed to show internal kiosk components including a horseshoe construct

FIG. 11 is a front perspective view showing the horseshoe construct of the kiosk of FIG. 10 in further detail.

15

FIG. 12 is a schematic view of the kiosk of FIG. 1A, illustrating exemplary display wings and an exemplary modular display topper.

FIG. 13 is a block diagram illustrating exemplary functionality and modularity of the kiosk of FIG. 1A.

FIG. 14 shows a top schematic view of a system for an automated dispensing and retrieval kiosk for recorded media, with floor mounted graphics that demarcate an area proximate to the kiosk, in accordance with one embodiment.

DETAILED DESCRIPTION

Systems and methods now disclosed illustrate networked, automated kiosks that not only automatically perform physical dispensing and retrieval of recorded media, but that also collect data from transactions and other events and then report said data to a central database. This aggregation of information provides for remote tracking and analysis of data using a variety of metrics such as transaction time, transaction volume, customer information, inventory levels, etc. Reports of the aforementioned are for example generated according to the report framework summarized in Appendix K, and in accordance with exemplary software architecture outlined in Appendix L.

FIG. 1A shows a schematic perspective view of one embodiment of a system for an automated dispensing and retrieval kiosk for recorded media. System 100 includes a kiosk 101, having a kiosk body 102 that is for example shaped as a half cylinder with a front panel or door 104. A customer interface assembly 106 is for example mounted with door 104 and includes a customer interface 108, a card reader 110 for reading information from a card such as a credit or debit card, and an input/output module 112. As shown, customer interface 108 may be a liquid crystal display ("LCD") touch screen 108; however, customer interface 108 may alternately be a combined display screen and keyboard and/or voice recognition device. Input/output module 112 includes a media input 114 for receiving recorded media into kiosk 101, and a media output 116, for dispensing recorded media from kiosk 101. Media input and output 114, 116 are for example slots which may include one-way doors or other covers.

FIG. 1B shows a schematic perspective view of kiosk 101 with a transparent door 104, for illustration of internal kiosk components. A storage subsystem such as horseshoe construct 118, has a plurality of vertical racks 120 suitable for storing a plurality of recorded media, such as DVDs. Horseshoe construct 118 is illustratively shown as a semi-circle, but may also be formed as a complete circle, or any part thereof. As used herein, "circular formation" refers to any formation along a complete circle, or any portion thereof. Racks 120 are arranged in said circular formation, and their size and number is selectable, for example according to the total number of media to be stored therein and/or the shape of horseshoe construct 118. Arranging vertical racks 120 in a circular formation may increase the packing density of recorded media within the kiosk.

FIG. 2 shows a perspective view of system 100 with front door 104 of kiosk 101 removed, to further illustrate kiosk internal components. As shown, vertical racks 120 are for example mounted in a semi-circle within horseshoe construct 118 and are thereby proximate to a central robotic element 122. Recorded media storage capacity of kiosk 101 is based upon a number and a vertical size of vertical racks 120. Specifically, the number and the size of vertical racks 120 may be selected based upon required storage capacity of kiosk 101. Use of vertical racks 120 and horseshoe construct 118 may provide enhanced storage of recorded media within

16

kiosk 101, as compared to 'carousel type' storage units, thereby increasing storage density of recorded media within kiosk 101.

As also shown in FIG. 2, kiosk 101 includes an internal computer 124 and power supply unit 126. Computer (also referred to as computer module) 124 includes at least a processing unit, volatile memory, storage unit and a telecommunication subsystem/communication interface for remote administration and billing interface with computer module 124. Computer module 124 is for example a Windows XP based personal computer configured for operation within kiosk 101. Power supply unit 126 may include an uninterruptible power supply ("UPS") unit, for example having a battery, to provide power to kiosk 101 in the event that an external power supply is interrupted. Power supply unit 126 may also include other electronic components such as motion control electronics to operate robotic element 122.

FIGS. 3, 4 and 5A-5C show perspective views of horseshoe construct 118. As shown in FIGS. 3 and 4, vertical racks 120 are for example spaced along the curved portion of horseshoe construct 118, with robotic element 122 positioned equidistant from the horseshoe ends; however, alternate numbers and positions of racks 120 and alternate positioning of robotic element 122 may be employed, as a matter of design choice.

FIGS. 5A-C emphasize particular elements of horseshoe construct 118. For clarity, features of FIGS. 5A-C that are not specifically discussed herein below are depicted with dotted lines, with the emphasized features shown in solid lines. For example, as shown in FIG. 5A, each rack 120 is arranged as a vertical tower including a plurality of stacked shelves 128 for holding recorded media, and racks 120 partially surround robotic element 122. In one embodiment, each item of recorded media is enclosed in a media case configured for handling by robotic element 122. The media case for example includes one or more grip-enhancing features such as indentations or extrusions shaped to fit, respectively, corresponding extrusions or indentations of a y-axis gripping assembly 130 (FIG. 5B) of the robotic element 122. Grip-enhancing features may additionally or optionally include a textured area and/or a strip or patch of easy-grip material such as sticky rubber, to facilitate gripping by gripping assembly 130.

FIG. 5B shows y-axis gripping assembly 130, which for example utilizes the aforementioned specific case features to achieve secure gripping, and subsequent movement, of the recorded media within kiosk 101. Gripping assembly 130 is for example mounted with a rotational assembly 132 of robotic element 122 (see also FIG. 6B) for rotating gripping assembly 130 into position with any of the surrounding racks 12. Robotic element 122 for example facilitates movement of a gripped recorded media along the x-, y- and z-axes, as illustrated in coordinate system 500. In other words, as described further with respect to FIGS. 7A, 7B, gripping assembly 130 moves both horizontally and vertically (e.g., back and forth along the y-axis and up and down along the x-axis), in addition to rotating at an angle θ with respect to the y-axis. Upon command by computer module 124, gripping assembly 130 for example rotates via rotational assembly 132 until proximate a shelf 128 associated with a requested media. As shown, input/output module 112 is positioned within the range of rotational movement of gripping assembly 130, for example, opposite robotic element 122 along horseshoe construct 118. Assembly 130, driven by robotic element 122, may therefore retrieve the requested media, pivot (via rotational assembly 132) into alignment with output 116, and deliver the media through output 116. Conversely, upon command and via rotational assembly 132, gripping assembly 130 for

17

example retrieves a returned media from input **114**, and delivers the returned media to an associated shelf **128**, for storage.

FIGS. **6A**, **6B** and **6C** emphasize particular elements of robotic element **122**. In particular, FIG. **6A** shows a y-axis drive motor **134**, for moving y-axis gripping assembly **130** up and down along the y-axis, and a rotational axis drive motor **136**, for driving rotational assembly **132** (shown in FIG. **6B**). Gripping assembly **130** (FIG. **6C**) for example rotates, via motor **136** and rotational assembly **132**, to an angle θ with respect to the x-axis, the angle θ corresponding with a particular rack **120**. Motor **134** moves gripping assembly **130** up or down, into position with a shelf **128** associated with a requested media. Gripping assembly **130** retrieves the media, rotates along the x-y plane via motor **136** and rotational assembly **132**, and raises or lowers along the y-axis via motor **134** into position with output **116**, to deliver the requested media. Media output **116** for example includes one or more sensors to verify removal of the media case from output **116**.

FIGS. **7A** and **7B** show perspective views of z-axis gripping assembly **130**. Assembly **130** for example includes a media gripper **138**, sequenced by a gripper motor **140**, such as a camshaft mechanism, to grip and release a media case. In one example of operation, robotic element **122** selects a media case (containing a recorded media) from a shelf **128** of a vertical rack **120**. A grip sensor (not shown) for example indicates that the case is securely held by gripper **138**, prior to delivery of the recorded media to output **116**. In particular, once the case is securely held, a x-axis drive motor **142** moves gripping assembly **130** backward and forward along the x-axis (or back and forth at an angle θ in the x-y plane). Back and forth motion of gripping assembly **130** is for example facilitated by linear bearings **144** (FIG. **7B**). Gripping assembly **130** may thus move forward to retrieve a deposited case from input **114**, grip the case using gripper **138**, and move backwards via x-axis drive motor **142**, taking the case with it. The case may then be delivered, through the aforementioned rotational, up and down, and back and forth movements, to an associated shelf **128**, for storage. As shown in FIGS. **7A** and **7B**, up and down movement of gripping assembly **130** along the y-axis may be facilitated by y-axis bearings **146** and a y-axis leadscrew nut **148**.

FIGS. **8A** and **8B** show respective front and back perspective views of input/output module **112** and illustrate input **114** and output **116** in further detail. As shown, an input door solenoid **150** facilitates return of media through input **114**.

As previously noted, media cases used with the described automated dispensing and retrieval kiosk may include features for facilitating gripping by gripping assembly **130**. Such cases may also incorporate elements for indicating damage or abuse to recorded media within the case. For example, the media case may include a damage indicator for indicating possible damage to the case and/or recorded media contained therein. Kiosk **101**, through use of the one or more case sensors **152** located at input **114**, for example reads a temperature indicator such as a temperature sensitive coating on a returned media case to determine if the media case (and thus the recorded media therein) has been subjected to extremes of temperature, potentially damaging the recorded media. Case sensors **152** read for example detect a color or compositional change in the aforementioned temperature sensitive coating. Alternately or optionally, case sensors **152** may be temperature sensors, to sense an actual temperature of the case. In one embodiment, if a case sensor **152** determines damage to a media case, a case rejection mechanism in communication with the sensor **152** (for example by internal circuitry), prevents return of the damaged case at media input **114**. In one aspect, a subscriber service may be enforced by use of a

18

subscriber case that presents a unique electronically scannable indicia to identify that the case is authorized for use in subscription use or use within a particular kiosk or sub-group of kiosks, etc. A user may present this case for scanning and authorization to proceed with a transaction. The subscriber may have pre-approved billing arrangements.

As also shown in FIGS. **8A** and **8B**, a kiosk sensor such as camera **154** is for example mounted with kiosk **101**, to monitor operation thereof. A still or video camera **154** may image a person engaging with the kiosk, for example in a credit card transaction. FIGS. **8A**, **8B** show one possible position of camera **154** relative to input/output **112**. As shown, camera **154** is mounted within kiosk **101**; however, it is to be understood that camera **154** may equally be mounted external to kiosk **101**, for example to one side of, or above, touch screen **108**. The following Table B identifies screen shots, viewable on touch screen **108**, as provided in Appendix M:

TABLE B

Screen Shots-Appendix M

Version 2 Screen Shots

action.jpg
addmovie.jpg
anime.jpg
authorizing.jpg
authorizingWithTrivia.jpg
cartwpromo.jpg
checkout.jpg
comedy.jpg
delivering.jpg
DeliveringDVDBuy.jpg
DeliveringDVDRent.jpg
deliveringsam.jpg
DiscDoesnotBelong.jpg
DoYouNeedMoreTime.gif
drama.jpg
email.jpg
family.jpg
forei gn.jpg
helphowdoi.jpg
HelpMaxDVD.jpg
helpscreen.jpg
helpscreenmore.jpg
homejpg
horror.jpg
identifying.jpg
identifyingWithTrivia.jpg
InitializingScreen.jpg
keyboardzip.jpg
MachineFullForReturn.jpg
Main.gif
Main.jpg
mainWithWhiteBackground.jpg
MaxDiscExceeded.jpg
more.jpg
MovieDetail.jpg
moviedetailgod.jpg
moviedetailpay.jpg
moviedetailsam.jpg
moviedetailscary.jpg
moviedetailtriplets.jpg
newrelease.jpg
newreleasemore.jpg
OpsDiscNotCurrentlyAvailable.jpg
OpsExpiredPaymentCard.jpg
OpsPaymentCardNotRecognize.jpg
OpsPromoNotRecognize.jpg
OpsServerCommDifficulties.jpg
OpsTitleUnavailable.jpg
OpsUnableToProcessRental.jpg
OpsUnableToReceive.jpg
OpsUnableToVerifyZip.jpg
OpsUnableVerifyPaymentCard.jpg
payment.jpg

19

TABLE B-continued

Screen Shots-Appendix M
payment735.jpg paymentemail.jpg paymentemail735.jpg paymentpromo.jpg promoscreen.jpg promowhat.jpg PushDiscAllTheWay.jpg QuickPoll1.jpg QuickPoll2.jpg quickpolla.jpg remove.jpg RentalAgreement.jpg rentscreens.jpg rentscreens1disc.jpg rentscreens2.jpg return.jpg return2.jpg ReturnDVD.jpg returnWithTrivia.jpg romance.jpg S1.jpg S2.jpg S3.jpg S4.jpg scifi.jpg selectmovie.jpg selectmovieadd.jpg sports.jpg StartupError.jpg thankyou.jpg thankyou735.jpg thankyoupromo.jpg thankyoureturn.jpg thankyoureturnWithTrivia.jpg thankyouWithTrivia.jpg Tool_BadSlots.jpg Tool_BarCamPegTest.jpg Tool_CardReaderHLD.jpg Tool_Controller.jpg Tool_CycleTest.jpg Tool_InventoryCheck.jpg Tool_Login.jpg Tool_Operator.jpg Tool_ServoParams.jpg toppicks.jpg UnableToAcceptCreditCard.jpg UnableToAcceptReturn.jpg UnableToRecognize.jpg viewall.jpg war.jpg bytes Version 2.5 Screen Shots
BuyConfirmationScreen.jpg CartScreen1.jpg CartScreen2.jpg EmailScreen.jpg MainScreen.jpg MainScreenTrailer.jpg MovieDetailScreen1.jpg MovieDetailScreen2.jpg MovieSelectionScreen.jpg PromoCodeDescriptionScreen.jpg PromoCodeScreen.jpg RentalAgreementScreen.jpg RentalSalesAgreementScreen.jpg ReturnDVD.jpg ReturnThankYouScreen.jpg TakeDVD.jpg Tool_RemoveDiscs.jpg TransactionTimeOut.jpg UnableToRecognizeDVD.jpg ZipCodeScreen.jpg

FIG. 9 shows one exemplary system 200 with a kiosk 201 having two customer interfaces 202A and 202B. Customer interfaces 202A, 202B may each be similar to customer inter-

20

face assembly 106 of FIG. 1A; each including respective customer inputs (e.g., LCD touch screens) 204A, 204B and input/output modules 206A, 206B, each input/output module including a respective input 208A, 208B for receiving recorded media, and an output 210A, 210B, for dispensing recorded media. Card readers 212A, 212B for example read information from credit cards inserted therein. Kiosk 201 may incorporate additional interfaces 202, as a matter of design preference. Likewise, two half-cylindrical kiosks 101 or 201 may be positioned back-to-back to provide a cylindrical kiosk station, for example with multiple interfaces 202 positioned about the circumference of the station.

FIG. 10 shows one view of kiosk 201 with a front door 214 removed for purposes of illustration. Kiosk 201 includes internal horseshoe construct 216, with a plurality of vertical racks 218 and a robotic element 220 having a y-axis gripping assembly (see FIG. 11). Power supply 222 for example includes a UPS unit for powering kiosk 201 if an external power supply is interrupted. Other electronics, e.g., motion control electronics for operating robotic element 122, may be further included with power supply 222. A computer module 224 for example controls operation of kiosk 201.

FIG. 11 shows horseshoe construct 216, vertical racks 218, robotic element 220 and y-axis gripping assembly 226 in further detail. Horseshoe construct 216, vertical racks 218, robotic element 220 and y-axis gripping assembly 226 are for example similar to horseshoe construct 118, vertical racks 120, robotic element 122 and y-axis gripping assembly 130 of FIG. 3. FIGS. 9, 10 and 11 are best viewed together with the following description.

In kiosk 201, robotic element 220 may deliver selected recorded media to one of input/output modules 206(A) or 206(B). For example, if a first customer interacts with customer interface 202(A) and a second customer interacts with customer interface 202(B), robotic element 220, using y-axis gripping assembly 226, delivers a first recorded media, selected by the first customer, to input/output module 206(A) and delivers a second recorded media, selected by the second customer, to input/output module 206(B). Input/output modules 206 may include one or more sensors (e.g., monitor sensors 358, FIG. 13) to determine acceptance of the selected recorded media by customers. Kiosk 201 may contain part or all functionality of kiosk 101, described above.

Systems 100, 200 may include a plurality of kiosks (e.g., one or more of kiosk 101 and/or kiosk 201) co-located and 'grouped' together via a kiosk-to-kiosk telecommunications device such as an Internet interface, or a telecommunications device facilitating interface between a central server and the kiosks. For example, kiosks 101, 201 regularly communicate operating conditions such as functional status, program or operational errors, temperature and other environmental conditions, and CPU and memory load to a central administrator associated with the central server, according to update protocol governed by program instructions included in hardware or software operable with computer 124. Kiosks may likewise communicate with each other and the central server to provide additional inventory capacity at a particular location. For example, multiple kiosks may be provided at a location where inventory of a single kiosk is frequently exhausted, to increase inventory. These grouped kiosks may communicate (e.g., using the Internet, a wireless interface or a wired face) inventory status information directly with one another, enabling recorded media to be located within any kiosk of the group. In another example, each of the grouped kiosks communicates its inventory status to a server (e.g., a server located on the Internet or with central administrator), which may then

be interrogated by one or more kiosks to locate stock of recorded media within other kiosks of the group. Program instructions for example provide for listing of access to inventory information within and between kiosks, as exemplified in the Data Caching and Framework information of Appendix A.

In one example of operation, a potential customer requests a certain recorded media from a first kiosk of a group. Where stock of the recorded media has been exhausted from the first kiosk, the first kiosk communicates with other kiosks of the group (e.g., directly or via a server) to locate stock of the recorded media. If the recorded media is stocked by one or more other kiosks of the group, the first kiosk identifies the one or more other kiosks, for example directing the potential customer to the one or more other kiosks via a message displayed upon a touch screen **108**, **204A** or **204B**.

In one embodiment, where a first kiosk is exhausted of a recorded media requested by a customer, the first kiosk may locate and reserve stock of the recorded media within another kiosk of the group. If this reserved recorded media is not claimed within a certain time period, the reservation may be automatically cancelled.

As shown in FIG. 12, a system for an automated dispensing and retrieval kiosk includes one or more presentation devices that for example serve as marketing display units. FIG. 12 depicts system **100** with kiosk **101** including exemplary display wings **228** and an exemplary display topper **230**. As illustrated, display wings **228** and topper **230** are modular presentation devices supported in association with kiosk body **102**; however, it will be understood that display wings **228** and/or topper **230** may also be integrated with kiosk **101**, as a matter of design preference. Modular display wing **228** (A) is illustratively shown with a plurality of active display panels **232** (e.g., LCDs) that may, for example, display active advertisements (e.g., film trailers) of remaining inventory within kiosk **101**, or other information, through control of kiosk **101** (or via the central server connected to kiosk **101**). Modular display wing **228**(B) is illustratively shown displaying a static advertisement **234** of recorded media within kiosk **101**; static advertisement may also display other notices or advertisement information. As shown, modular display topper **230** has a single active display screen **236** (e.g., a cathode ray tube display, a liquid crystal display, a back-lit four color display, etc.) and may include other audio visual equipment, such as lights and speakers. Modular display topper **230** for example displays marketing material (e.g., related to remaining inventory) or other information upon screen **236**.

FIG. 13 is a block diagram illustrating functionality and modularity of system **100**. FIGS. 1A, 1B, 2, 12 and 13 are best viewed together while reading the following description. Computer module **124** is preferably connected to the Internet via an Internet interface **402**, so that kiosk **101** may initiate and verify credit card transactions. In one example, kiosk **101** makes a credit transaction via the Internet and then sends a transaction receipt to a customer's email account (thereby avoiding the need to print paper receipts). Should an Internet transaction such as electronic billing fail, an error message similar to those shown in Appendix C may be generated at the customer interface **108**. A kiosk communication framework is for example employed in governing e-commerce in accordance with Appendix J.

Kiosk **101** may also include a local wireless interface **406** (e.g., a WiFi Hub) that allows kiosk **101** to serve multiple business functions and provide wireless connectivity to the Internet via Internet interface **402**.

Telecommunications device/internet interface **402** also allows functionality of kiosk **101** to be managed or adminis-

tered from a central administrator remote from the kiosk by a management team **504** or a maintenance team **502**, for example employing operations summarized in Appendix D. Maintenance team **502** and management team **504** may be co-located or separate from one another. In an embodiment, calibration software **304** and monitor sensors **358** are accessible from remote maintenance locations by maintenance team **502**. In one example of operation, calibration software **304** may be automatically triggered by computer module **124** to perform routine checks on one or more components (e.g., robotic element **122**, computer module **124**, etc) of kiosk **101**. Calibration for example follows steps outlined in the Calibration Tool User Manual, attached as Appendix G.

Results from these calibrations may then be available via Internet interface **402**, and/or automatically uploaded to maintenance team **502**. Maintenance team **502**, therefore, only need visit kiosk **101** when physical maintenance or repair is necessary.

Kiosk **101** may include one or more embedded controllers (e.g., embedded controller **370**) that have built-in processing capability and associated firmware (e.g., firmware **372**). In one example, embedded controller **370** may reside within robotic element **122** to initiate, control and complete predetermined mechanical operations based upon firmware **372**.

In one embodiment, firmware **372** includes program instructions for initiating, controlling and completing mechanical administration of kiosk **101**. Embedded controller **370** uses firmware **372** to identify and/or resolve software and/or mechanical problems that may occur within kiosk **101**, for example controlling mechanical kiosk components to perform predetermined mechanical functions. If a mechanical problem is detected within kiosk **101**, embedded controller **370** may restart one or more embedded controllers, including itself, to attempt to resolve the problem. In another example, if embedded controller **370** controls movement of one or more mechanical elements (e.g., elements within robotic element **114**), firmware **372** may also include instructions that move these mechanical elements through one or more sequences designed to repair certain mechanical problems. For example, firmware **372** includes instructions that move the mechanical elements to dislodge interfering objects and/or reposition moveable items. Where recorded media becomes dislodged or out of position, firmware **372** may include instruction to return the recorded media to appropriate inventory position within vertical racks **120**.

Embedded controller **370** may further employ firmware instructions to detect and/or diagnose potential error conditions within kiosk **101**, using one or more monitor sensors. A plurality of monitor sensors **358** (e.g., cameras, lasers, "stack sensors", contacts, etc.) may be mounted internally and/or externally to kiosk **101** to monitor operation thereof. Controllers **370** for example acquire data from monitor sensors **358** and process the data with algorithms of firmware **372** to determine whether an alarm state exists. Firmware **372** may further provide functionality to report acquired and/or processed data indicative of an alarm state to other embedded controllers and/or to computer module **124**.

In one embodiment, diagnostic software **319** within computer module **124** acquires information from monitor sensors **358**, and reports this information, as a status of kiosk **101** for example, to management team **504** and/or maintenance team **502** via Internet interface **402**. Diagnostic software **319** may also process this information to determine if an 'alarm state' has occurred. Kiosk monitoring for example provides sensors **358** and basic alert support as described in the attached Appendix I.

To increase alignment tolerances of mechanical components during construction of kiosk **101**, computer module **124** and embedded controllers (e.g., embedded controller **370**) may include calibration software **304** (where included with embedded controllers **370**, calibration functions described herein may be stored as firmware **372**). A calibration process of calibration software **304** may, for example, determine alignment of robotic element **122** with vertical stacks **120** of horseshoe construct **118** after kiosk **101** is constructed. In particular, embedded controllers within robotic element **122** may interface with one or more robotic sensors **358** to provide location feedback to calibration software **304**. Calibration software **304** may, for example, populate a database/table **322** with location/position and tolerance information determined during the calibration process. Once the calibration process is complete, database/table **322** may be utilized during operation of kiosk **101**. Further calibration may occur periodically, and/or upon command from management team **204** and/or maintenance team **502**. In one example, database/table **322** is updated with calibration information during normal operation of kiosk **101**. Calibration information is for example generated at pre-programmed intervals, or in response to external triggers.

System **100** may also include one or more proximity sensors **354** to detect proximity of persons to kiosk **101**. For example, proximity sensor **354** mounted on the front of kiosk **101** may detect a person (i.e., a potential customer) approaching kiosk **101**. Metric software **314** within computer module **130** may collect proximity information from proximity sensor **354** to build statistical information of a person's behavior around kiosk **101**, for example. This statistical information may include one or more of: a time of detection, a length of detection (i.e., how long the person stayed proximate to kiosk **101**), distance of the person from kiosk **101**, etc. Other statistics may be derived from this information; for example, computer module **130** may also determine ratios between persons proximate to kiosk **101**, persons interacting with consumer interface **104** of kiosk **101** and customers completing a transaction with kiosk **101**, thereby determining a number of persons passing but not interacting and/or transacting with kiosk **101**.

System **100** may also include biometric sensors **356** to identify persons interacting with customer interface **104**. In one example, biometric sensors **356** may allow kiosk **101** to determine a person's approximate age by analyzing their facial images. In another example, biometric sensors **356** may allow kiosk **101** to identify individual people utilizing one or more of: facial image recognition, fingerprint recognition, iris recognition, etc.

Kiosk **101** may also include one or more interfaces to allow media to be downloaded into alternative media storage devices. Kiosk **101** may, for example, include hardware to distribute recorded media to an alternate storage device (e.g., by recording data from the recorded media to an alternate format). In another example, kiosk **101** may include a local wired interface **404** (e.g., an Ethernet port or a USB port) to allow an external media storage device to connect to kiosk **101** and receive transmitted media. In another example, kiosk **101** includes a local wireless interface (e.g., Bluetooth, 2.4 GHz wireless 802.11 network, infra-red, optical, etc.) that allows a data storage device, proximate to kiosk **101**, to receive transmitted media. In one example, recorded music is transmitted to an MP3 player.

Kiosk **101** may also include hardware to allow recorded media to be delivered to hardware distant from kiosk **101**. For example, recorded media may be purchased at kiosk **101** and delivered (e.g., via email) to one or more remote destinations.

Computer module **124** may therefore include appropriate software to control and allow transfer of recorded media to one or more other formats, and may also include software to authorize and/or distribute media from a remote location to another remote device.

FIG. **14** shows a system **1400** for an automated dispensing and retrieval kiosk, e.g., kiosk **101**, with floor mounted graphics **600** that demarcate an area **602** proximate to kiosk **101**. These floor mounted graphics **600** may include active elements **604** for interaction with persons proximate to kiosk **101**. For example, active elements **6064** may generate one or more sensory experiences within area **602**, such as lighting, odor, sound, humidity, etc.

Returning to FIG. **13**, an active display wall **506** may be associated with, or attached to, kiosk **101** to provide additional advertisement display. For example, active display or video wall **506** may represent modular display wing **228(A)**, FIG. **12**, and thus include one or more active display units such as LCDs that display information relating to current inventory of kiosk **101** (e.g., to display trailers for films of inventory within kiosk **101**). For example, hardware or software of computer **124** (and/or a remote server **508** in communication with kiosk **101** via telecommunications device/Internet interface **402**) includes algorithms for determining the available inventory and advertising one or more recorded media of the available inventory on the display units or on customer interface **108**.

Video wall **506** for example receives instructions based upon the recorded media therein, such as instructions to display trailers of new or under-rented media. In another example, active display wall **506** is not necessarily proximate to kiosk **101**, but is still controlled by kiosk **101** (e.g., via an Internet or wireless connection).

Kiosk **101** may further include one or more integrated internal environmental control units **360** that allow operation of kiosk **101** within extreme environments. Environmental control units **360** maintain a controlled environment within kiosk **101**, for example. If kiosk **101** is utilized in a controlled indoor environment, environmental control units **360** may be superfluous. However, if kiosk **101** is located in an outdoor environment, environmental control units **360** may include one or more modular units such as a heater unit **362**, a cooler unit **364** and a humidity unit **366**.

Computer module **124** may contain inventory management software **320** for managing inventory of recorded media within kiosk **101**, as exemplified in the data and caching framework provided with Appendix A. In one example, inventory management software **320** performs calculations to determine one or more inventory alarm conditions. For example, inventory management software **320** may determine an alarm condition when inventory drops below a certain number. In another example, inventory management software **320** may determine an alarm condition when inventory exceeds a certain level (i.e., when inventory overstocking is in operation). When an alarm condition occurs, an alarm is generated and may be provided to one or more of cell phones, pagers, email addresses, etc., via Internet interface **402**. Inventory management software **320** may also include inventory overstocking routines **324**, thereby maximizing operation of kiosk **101**, for example. Alarms related to inventory, kiosk operational status and other kiosk parameters may be generated and broadcast according to a system monitor service that is for example independent of kiosk system **100** software, in accordance with the architectural overview provided in Appendix F.

Inventory management software **320** may also include media selection routines **326** utilizing algorithms to select a

25

recorded media mix for stocking kiosk **101**, based upon historical performance of specific recorded media. Media selection routines **326** may analyze historical information relating to consumer selection of a specific recorded media to predict future selection levels.

Computer module **130** may also include shopping cart software **308** that implements a shopping cart feature for use by customers interacting with customer interface assembly **106**. In one example, the shopping card feature operates as a transaction selection aggregation tool.

Computer module **130** may also implement suggestive selling routines **328** (shown within inventory management software **320** for purposes of illustration) that implement a 'rent-me' feature that allows a shortcut to certain recorded media, for example from an initial screen display or a main menu of the customer interface. The 'rent-me' feature may further implement a most direct path to transaction completion for the recorded media. In one example, a customer presses one button to initiate a transaction. The customer may select a title or icon on an initial screen of customer interface **108** to progress immediately to a payment stage requesting a credit card to be presented.

Suggestive selling routines **328** within inventory management software **320** may, for example, make certain recorded media (e.g., new and/or popular titles) directly available from an initial interaction screen of customer interface **104**. Screens other than the initial screen of customer interface **108** may also include buttons that directly initiate transactions. Additionally, system **100** may include program logic for selecting and presenting a particular category from the recorded media to consumers according to predetermined selection criteria, including statistical information such as historical consumer preference of media, available inventory, excess inventory and inventory for sale. The particular category, and/or advertising associated therewith, is for example presented to the consumer on display wings **228**, topper **230** or customer interface **108**. The statistical information may likewise facilitate determination of media to offer with the rent-me feature.

Computer module **124** may also include remote upgrade software **310**, whereby a remote station (e.g., management team **504** and/or maintenance team **502**) may send new software to computer module **124**. Upgrade software **310** facilitates download, install and execution of the new software without local interaction (i.e., without requiring personnel to attend kiosk **101**). In one example, upgrade software **310** allows computer module **124** to periodically (e.g., daily or weekly) interrogate a remote server **508** (e.g., accessible by maintenance team **502**) to download new software, if available. Thus, computer module **124** is automatically updated without external initiation. Upgrades may be automatically verified, for example by implementing the testing plan outlined in Appendix E.

Computer module **124** may also include maintenance software **312** that allows maintenance of kiosk **101** to be performed from a remote location. For example, maintenance team **502** may interrogate maintenance software **312** to determine one or more internal temperatures and other internal environmental parameters of kiosk **101**. Kiosk **101** may, for example, include one or more internal environmental sensors **352** that interface to maintenance software **312**. Maintenance software **312** may also determine when critical maintenance of kiosk **101** is necessary, and may automatically request this maintenance of maintenance team **502**, and/or perform critical maintenance, where possible. In another example, algorithms within maintenance software **312** may predict and request preventative maintenance, thereby preventing failure

26

of kiosk **101**. Such maintenance is not limited to physical maintenance of mechanisms within kiosk **101**, but may also include maintenance of data and software of kiosk **101**.

Computer module **124** may also include metric software **314** that monitors transactions of recorded media to determine certain metrics and may export these metrics to other servers. Metric software **314** may, for example, deliver point of sale demographic data, derived from these metrics, to other servers that may monitor more than one kiosk. In another example, metric software **314** delivers demographic data to rating servers.

Computer module **124** may also include survey software **316** invoked to run a survey acquisition funded from external sources (i.e., a survey paid for by an external entity). In one example, a survey may specifically target customers that complete transactions for one or more specific recorded media. Upon request for or completion of a transaction for a predetermined recorded media, computer **124** may run software **316** to present a survey at customer interface **108**, for example posing a series of consumer queries chosen from the poll questions presented in Appendix B, to gain metric data. The gained data may be used to update the statistical information utilized in connection with the rent-me and advertising capabilities described herein.

Inventory management software **320** may also include a suggestive selling algorithm **328** that actively promotes marketing of remaining inventory items, thereby improving inventory turnover of kiosk **101**. In one example, suggestive selling algorithm **328** may modify one or more marketing displays of kiosk **101** to advertise remaining inventory items.

If a customer inputs an email address in order to receive a transaction receipt, this email address may be stored within kiosk **101** and/or sent to remote server **508** that is for example accessible by management team **504**, for marketing purposes. Further, a customer may be given an opportunity to input a second email address (e.g., an email address of a friend) to receive invitations based upon the customer's transaction. In one example, a customer may input one or more friends' email addresses to receive advertisements for a certain recorded media; these email addresses may also be stored and used for marketing purposes. In one example, emails containing advertisements, which may be selected according to the aforementioned statistical information, may be periodically generated and sent by kiosk **101**. In another example, kiosk **101** may allow a person interacting with customer interface **108** to send an advertisement to an email address. For example, if a person, interacting with consumer interface **108**, touches an advertisement on the screen, kiosk **101** may request an email address from the person and then send a copy of the advertisement to the email address. This email address may also be stored for marketing purposes. Further, kiosk **101** may include promotional codes within these emails that allow the recipient to receive one or more transactional discounts.

Kiosk **101** may also be utilized for public service announcements. Computer module **124** may include alert software **318** that allows kiosk **101** to periodically connect to one or more government agency databases (e.g., via the Internet) to download one or more public service announcements or alerts. For example, kiosk **101**, utilizing alert software **318** and Internet interface **402**, may automatically, or upon command from a remote server such as server **508**, connect to a government server and download one or more amber alerts and/or terror alerts. These alerts may then be displayed on one or more advertisement/marketing displays (e.g., modular display topper **230**, display wings **228A**, **2288** and/or customer interface **108**) of kiosk **101**. In another example of operation,

27

these alerts may be sent to kiosk **101** manually (e.g., via management team **504**) for display on one or more marketing displays of kiosk **101**.

Where kiosk **101** operates for recorded media rental (i.e., allowing a customer to rent one or more recorded media from an inventory of recorded media stored within kiosk **101**), inventory management software **320** may provide for converting a recorded media item from rentable to saleable. For example, one or more software algorithms monitor rental frequency of recorded media and thereby make decisions, based on predetermined limits, thresholds and other information, to convert one or more inventory items from rental items to sale items. For example, if kiosk **101** has twenty recorded media of one film, as this film becomes less popular the frequency of rental of associated recorded media reduces. Algorithms of inventory management software **320** may then determine that ten of the twenty recorded media containing this film may be sold, for example. As the frequency of rental for the remaining ten recorded media reduces further, algorithms of inventory management software **320** may determine that stock of associated recorded media should be reduced further. As items of inventory are sold, kiosk **101** may inform management team **504** that space is available within kiosk **101** for new recorded media, for example.

The exemplary source code of Appendix C, in compiled form, may be used to provide program instructions configuring system **100/200** for operations as described herein, where the program instructions may reside on circuitry, for example as shown in the case of computer **124** and embedded controller **370** (for purposes of illustration, Appendix C may be viewed with Appendix H, which provides exemplary case studies of code migration). Unless otherwise noted, it will be appreciated that what is shown is a non-limiting embodiment and the circuitry may be more broadly provided on any electronically programmable system, such as a computer having a single processor, multiple processors or in a distributed processing environment. Likewise, data storage may be local to the kiosk, adjunct to a server, or in a distributed or shared databasing environment.

Changes may be made in the above systems without departing from the scope hereof. As apparent from reading and fully understanding this specification, kiosks **101**, **201** are modular in both functionality and serviceability. These modules may include software and hardware. In particular, these modules are field selectable, replaceable and maintainable, for example facilitating configuration of kiosks **101**, **201** to provide functionality as desired for various levels of business and maintenance. It should thus be noted that the matter contained in the above description or shown in the accompanying drawings should be interpreted as illustrative and not in a limiting sense. The following claims are intended to cover all generic and specific features described herein, as well as all statements of the scope of the present method and system, which, as a matter of language, might be said to fall therebetween.

What is claimed is:

1. A kiosk for dispensing and retrieving recorded media employing a robotic element, the kiosk comprising:
 - a telecommunications system for exchanging data between a central administrator and the kiosk, the kiosk having electronic controls responsive to instructions from the central administrator for governing administration of the kiosk according to a first state and a second state; wherein the first state provides for automatic administration of the kiosk, the first state comprising first program instructions for one or more of:

28

- selecting a mix of recorded media for the kiosk inventory,
 - converting a recorded media from rentable to saleable,
 - performing software upgrades from one or more remote locations,
 - performing analysis of the kiosk,
 - predicting maintenance of the kiosk,
 - determining an alarm condition,
 - generating an alarm in response to the alarm condition, and
 - performing maintenance of the kiosk; and
- wherein the second state provides for remote administration of the kiosk via the telecommunications system according to the instructions from the central administrator, the second state comprising second program instructions initialized at a remote server of the central administrator for maintenance of the kiosk, wherein the second program instructions include program instructions for:
- performing a routine to check on performance of the robotic element,
 - selecting a mix of recorded media for the kiosk inventory,
 - converting a recorded media from rentable to saleable,
 - performing software upgrades from one or more remote locations,
 - performing remote analysis of the kiosk,
 - predicting maintenance of the kiosk,
 - determining an alarm condition,
 - generating an alarm in response to the alarm condition,
 - updating a protocol regularly, wherein the kiosk reports kiosk operating conditions to the central administrator via the telecommunications system, and
 - performing remote maintenance of the kiosk.
2. The kiosk of claim 1 wherein the first and/or second program instructions comprise software.
 3. The kiosk of claim 2 wherein the software is operable at one or both of a local computer within the kiosk and a remote server associated with the central administrator.
 4. The kiosk of claim 3 wherein the software for selecting a mix of recorded media comprises algorithms for determining the mix based upon historical performance of specific recorded media.
 5. The kiosk of claim 4 wherein the software for determining an alarm condition comprises inventory management software having algorithms for determining an alarm condition based upon inventory of recorded media within the kiosk.
 6. The kiosk of claim 1 further comprising controllers embedded within the kiosk, wherein—
 - the controllers include firmware, and the first and/or second program instructions are contained in the firmware; and
 - the controllers are configured to control one or more mechanical components within the kiosk.
 7. The kiosk of claim 1 wherein the first and/or second program instructions include program instructions for automatically calibrating the kiosk utilizing one or more sensors for providing calibration information for one or more systems within the kiosk.
 8. The kiosk of claim 1 wherein the second program instructions comprise software.
 9. The kiosk of claim 1 wherein the second program instructions are configured to generate an alarm comprises initializing software for broadcasting the alarm condition to one or more of cell phones, pagers and email recipients.
 10. The kiosk of claim 1, further comprising an internal environmental control unit for maintaining an environment

29

within the kiosk, wherein the internal environmental control unit is operable with the first state or the second state.

11. The kiosk of claim 1, further comprising an interface operable with the telecommunications system for communication between the kiosk and one or both of a remote server associated with the central administrator and a second kiosk.

12. The kiosk of claim 11, further comprising hardware to distribute inventories of recorded media between the kiosk and one or both of the remote server and the second kiosk, via the interface.

13. The kiosk of claim 1 wherein the kiosk is one of a group of kiosks and further comprises an interface between the kiosk and other kiosks in the group, and wherein the telecommunications system is configured to exchange data between the kiosk and the other kiosks in the group via the interface, and wherein the kiosk communicates directly with the other kiosks in the group to locate stock of recorded media.

30

14. The kiosk of claim 13 wherein the kiosk is configured to identify one or more other kiosks of the group that have stock of a particular recorded media.

15. The kiosk of claim 14 wherein the kiosk is configured to reserve stock of the particular recorded media within the one or more other kiosks of the group for a potential customer.

16. The kiosk of claim 1, further comprising hardware and software for delivering inventories of recorded media via the interface to the remote server associated with the central administrator.

17. The kiosk of claim 1 wherein the robotic element includes an embedded controller resident therein, and wherein the kiosk is configured to initiate, control and complete predetermined mechanical operations of the robotic element in the second state utilizing the embedded controller.

18. The kiosk of claim 17 wherein the embedded controller is configured to detect and diagnose potential error conditions using one or more monitor sensors.

* * * * *

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 9,224,137 B1
APPLICATION NO. : 11/366966
DATED : December 29, 2015
INVENTOR(S) : Philip Tomasi et al.

Page 1 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title Page, item (56)

On page 3, in column 2, under "Other Publications", line 27, delete "52 pages." and insert
-- 53 pages. --, therefor.

In the Specification

In column 3, line 34, delete "fftkioskbaiscstranslation.sql" and insert -- fftkioskbasicstranslation.sql --,
therefor.

In column 4, line 6, delete "ffftexttransalation.sql" and insert -- ffttexttranslation.sql --, therefor.

In column 4, line 17, delete "tr_fftforniattranslation_u.sql" and insert
-- tr_fftformattranslation_u.sql --, therefor.

In column 4, line 22, delete "tr_fffigroupcode_u.sql" and insert -- tr_fftgroupcode_u.sql --, therefor.

In column 4, line 30, delete "tr_ffilocale_u.sql" and insert -- tr_fftlocale_u.sql --, therefor.

In column 4, line 41, delete "tr_fftpriceoptionu.sql" and insert -- tr_fftpriceoption_u.sql --, therefor.

In column 4, line 48, delete "tr_fftratingsystemu.sql" and insert -- tr_fftratingsystem_u.sql --, therefor.

In column 4, line 58, delete "tr_fftitletypetranslation_u.sql" and insert
-- tr_fftitletypetranslation_u.sql --, therefor.

In column 6, line 33, delete "companygroupdetailsjsp" and insert -- companygroupdetails.jsp --,
therefor.

In column 6, line 35, delete "companygroupqueryjsp" and insert -- companygroupquery.jsp --,
therefor.

In column 6, line 37, delete "customerhistoryjsp" and insert -- customerhistory.jsp --, therefor.

In column 6, line 40, delete "dataexportjsp" and insert -- dataexport.jsp --, therefor.

In column 6, line 41, delete "discdetailsjsp" and insert -- discdetails.jsp --, therefor.

In column 6, line 48, delete "kiosklistjsp" and insert -- kiosklist.jsp --, therefor.

Signed and Sealed this
Nineteenth Day of July, 2016



Michelle K. Lee
Director of the United States Patent and Trademark Office

In column 6, line 53, delete “latefeenotify.jsp” and insert -- latefeenotify.jsp --, therefor.

In column 6, line 55, delete “lookuptablesmenu.jsp” and insert -- lookuptablesmenu.jsp --, therefor.

In column 6, line 56, delete “marketingcommercialdeployment.jsp” and insert

-- marketingcommercialdeployment.jsp --, therefor.

In column 6, line 57, delete “marketingcorporatetools.jsp” and insert -- marketingcorporatetools.jsp --, therefor.

In column 6, line 58, delete “marketingfranchisereporting.jsp” and insert

-- marketingfranchisereporting.jsp --, therefor.

In column 7, line 3, delete “rentalreceipt.jsp” and insert -- rentalreceipt.jsp --, therefor.

In column 7, line 4, delete “reports.jsp” and insert -- reports.jsp --, therefor.

In column 7, line 5, delete “reportsquery.jsp” and insert -- reportsquery.jsp --, therefor.

In column 7, line 6, delete “reportsreusablecode.jsp” and insert -- reportsreusablecode.jsp --, therefor.

In column 7, line 8, delete “sitetypelookup.jsp” and insert -- sitetypelookup.jsp --, therefor.

In column 7, line 9, delete “titledetails.jsp” and insert -- titledetails.jsp --, therefor.

In column 7, line 10, delete “titlehst.jsp” and insert -- titlehst.jsp --, therefor.

In column 7, line 12, delete “titletypelookup.jsp” and insert -- titletypelookup.jsp --, therefor.

In column 7, line 14, delete “transactiondetails.jsp” and insert -- transactiondetails.jsp --, therefor.

In column 7, line 15, delete “transactionlist.jsp” and insert -- transactionlist.jsp --, therefor.

In column 7, line 16, delete “transactionquery.jsp” and insert -- transactionquery.jsp --, therefor.

In column 7, line 43, delete “fight.’ava” and insert -- light.java --, therefor.

In column 8, line 48, delete “exceptioncodes.java” and insert -- exceptioncodes.java --, therefor.

In column 9, line 19, delete “cmdaettitletypenamelookup.java” and insert

-- cmdgettitletypenamelookup.java --, therefor.

In column 10, line 6, delete “paymentprocesson.java” and insert -- paymentprocessor.java --, therefor.

In column 10, line 43, delete “getplcrecordrequest.java” and insert -- getpkrecordrequest.java --, therefor.

In column 14, line 26, delete “kiosk” and insert -- kiosk. --, therefor.

In column 14, line 46, delete “FIG. 3” and insert -- FIG. 3. --, therefor.

In column 14, line 48, delete “FIG. 3” and insert -- FIG. 3. --, therefor.

In column 14, line 65, delete “construct” and insert -- construct. --, therefor.

In column 15, line 56, delete “kiosk” and insert -- kiosk. --, therefor.

In column 18, line 38, delete “forei gn.jpg” and insert -- foreign.jpg --, therefor.

In column 18, line 43, delete “home.jpg” and insert -- home.jpg --, therefor.

In column 18, line 65, delete “OpsUnableVeri fyPaymentCard.jpg” and insert

OpsUnableVerifyPaymentCard.jpg --, therefor.

CERTIFICATE OF CORRECTION (continued)

Page 3 of 3

U.S. Pat. No. 9,224,137 B1

In column 19, line 22, delete “S3.jpg” and insert -- S3.jpg --, therefor.

In column 19, line 34, delete “Tool_CardReaderH1D.jpg” and insert --Tool_CardReaderHID.jpg --, therefor.

In column 20, line 62, delete “face)” and insert -- interface) --, therefor.

In column 26, line 66, delete “2288” and insert -- 228B --, therefor.